

Friday 8 April 2022

To: Site Engineer, Lendlease

Tweed Valley Hospital Project

Environmental Engineer & Director

mob: office: (02) 66-215-123

fax: (02) 66-218-123 ABN: 82 106 758 123

Re: Surface Water Quality Monitoring Results and Report for the Tweed Valley Hospital Project
Reporting period: 17 February 2022 to 22 March 2022

1.0 INTRODUCTION

Ecoteam is engaged to undertake monthly and event-based surface water monitoring on behalf of Lendlease Building, as part of the main works for the Tweed Valley Hospital Project. This report presents results from the 33rd round of monthly sampling. This report satisfies the requirements of the SSD2 conditions. No controlled or uncontrolled releases from the sediment basins occurred during the reporting period.

2.0 PROJECT AIMS AND SAMPLING OBJECTIVES

The surface water monitoring objectives for the site are to detect changes during construction in receiving water quality resulting from the project. Stormwater discharges potentially contain increased sediment loads, nutrients, total and dissolved metals, hydrocarbons, or other contaminants such as pesticides. Baseline water quality data was performed on the 19 and 26 November and 19 December 2018 to record water quality conditions under the existing land use prior to construction (Lendlease Building, 2019).

3.0 WEATHER CONDITIONS

Total rainfall in the period prior to sampling (17 February 2022 to 22 March 2022) was 526.8 mm with the highest 24-hour rainfall occurring on 28 February, being 157 mm (Kingscliff BOM Station 058137).

4.0 SAMPLING LOCATIONS

Samples were collected from four of the five monthly sampling Sites (001 – 003 and 005). Site 004 has been infilled and has been removed from ongoing sampling rounds. Control samples were also collected and analysed (013 – 015). Sample codes and corresponding sampling locations are shown in **Table 1** and **Figure 1**. Site photos taken on the day of sampling are included in **Appendix A**. During sampling, Site 002 was noted to be flowing South. Therefore, Site 002 will be assessed as an upstream sample site.

Table 1. Monthly sampling sites, control samples, sample codes and applicable WQOs.

Sample Codes	Sampling Site Name	Short Name	WQOs
001	West Creek (Downstream)	WC	Estuarine
002	North West Creek (Variable)	NWC	Estuarine
003	East Creek (Upstream)	EC	Freshwater
004	Dam (Downstream)	Dam	Freshwater
005	Dam Drain (Downstream)	DD	Freshwater
013	Trip Blank	Trip	NA
014	Field Blank	Field	NA
015	Field Duplicate	Duplicate	NA






Figure 1. Map of monthly sampling sites (Source: Google Earth).



5.0 SAMPLING METHODOLOGY

Sampling was undertaken by on Wednesday 23 March 2022. Weather was fine and sunny. In situ physico-chemical measurements were collected using an AquaTROLL multi-parameter probe and Turbidity was measured using a Turbimeter Plus turbidity meter. Oil and grease were visually assessed. The calibration certificate for the SmarTROLL is included as **Appendix B**. The Turbimeter Plus is calibrated before each sampling round. Water quality samples were collected at 300 mm below the surface where possible. Samples were collected from the bank using an extension pole.

Samples were filtered and preserved on site where necessary, stored on ice and couriered over night to the NATA accredited Envirolab in Sydney. Trip blank samples (013) were sent from Envirolab and transported to all sites, then returned to Envirolab with the field samples. The field blank samples (014) were assessed at Site 001. Duplicate samples (015) were collected at Site 002 and were filtered and preserved as required. Field and trip blanks were filled with deionized water and do not represent water quality from the site. A full list of analytes for the project are included in **Appendix C**.

6.0 ASSESSMENT CRITERIA

Water quality results were compared against the Water Quality Objectives (WQO) in the following guidelines.

- NSW Water Quality Objectives for the Tweed River Catchment for Aquatic Ecosystems (Tweed 2006) - Trigger criteria for estuaries.
- Australian and New Zealand guidelines for fresh and marine water quality (ANZECC 2000) –
 Trigger values for freshwater (level of protection 95% species).

7.0 RESULTS

7.1 Physico-chemical Results

In situ physico-chemical sampling results with comparison to WQOs are shown in **Table 2**. There were no surface sheens visible at any sites, therefore oil and grease were not present.

Table 2. Results of physico-chemical parameters. Results above guidelines are highlighted.

			Quality es (WQOs)	Sample Codes and Results						
Analyte	Units	Estuary Fresh Water		WC 001 (Down)	NWC 002 (Up)	EC 003 (Up)	DD 005 (Down)			
рН		7.0-8.5	6.5-8.5	6.66	6.72	6.74	5.8			
Turbidity	NTU	0.5-10	6.0-50	33.9	15.4	2.3	1.32			
Electrical Conductivity (EC)	μS/cm	125- 2,200	125- 2,200	687.13	460.31	190.82	172.04			
Dissolved Oxygen (DO)	% Saturation	80-110	85-110	34.89	22.5	10.21	13.82			
Temperature	°C	N/A	N/A	20.5	21.34	21.41	21.32			
Oxidation Reduction Potential (ORP)	mV	N/A	N/A	254.9	12.2	75.3	291.9			



When compared to the WQOs for freshwater and estuaries:

- pH was outside of the WQO ranges at Sites 001, 002 and 005 this sampling round.
- Turbidity was outside of the WQO ranges at all sampling sites this sampling round.
- EC was within the WQO ranges at all sampling sites this sampling round.
- DO concentrations were outside of the expected range at all sampling sites this sampling round. DO
 was outside the range at comparison sites in background sampling.

7.2 Laboratory Results

Ammonia, Chlorophyll-a, Filterable Reactive Phosphorous (FRP), Oxides of Nitrogen (NOx), Total Nitrogen and Total Phosphorus (TP) were above the WQOs for some sample sites. Aluminium was also outside WQOs. Parameters which exceeded the WQOs are shown in **Table 3**.

The chain of custody form is included in **Appendix D**. A summary of all lab results with comparison to WQOs is included as **Appendix E**. A full copy of the laboratory results is included as **Appendix F**.

Table 3. Parameters in exceedance of the trigger criteria for sampling conducted. Results above guidelines are highlighted.

		Water (Object (WQ	tives							
Analyte	Unit	Estuary	Fresh Water	WC 001 (Down)	NWC 002 (UP)	EC 003 (Up)	DD 005 (Down)	013 Trip	014 Field	015 Duplicate
Ammonia	mg/L	0.015	0.02	0.13	0.23	<0.005	0.052	<0.005	<0.005	0.25
Chlorophyll-a	mg/m³	4	5	<2	<2	<2	<2	<2	<2	<2
Filterable Reactive Phosphorus	mg/L	0.005	0.02	<0.005	<0.005	0.03	<0.005	<0.005	<0.005	0.006
Oxides of Nitrogen	mg/L	0.015	0.040	0.1	1.2	0.1	3.2	<0.005	<0.005	1.2
Total Nitrogen	mg/L	0.30	0.35	0.8	2.0	1.1	4.1	<0.1	<0.1	2.0
Total Phosphorus	mg/L	0.030	0.025	0.05	0.04	0.2	0.05	<0.02	<0.02	0.05
Aluminium	μg/L	N/A	55	70	80	300	30	<10	<10	80

When compared to the WQOs for Freshwater and Estuaries:

- Ammonia was above the WQOs at Sites 001, 002 and 005. Ammonia was above the WQOs at comparison sites in background sampling. Ammonia has increased at Sites 001, 002 and 005 and decreased at Site 003 when compared to the previous month.
- Chlorophyll-a was below the WQOs criteria at all sites. Chlorophyll-a results were varied across comparison sites in background sampling. Chlorophyll-a has decreased at Sites 001, 002 and 005 and remained the same at Site 003.
- FRP was above the WQOs at Site 003. FRP concentrations decreased at Sites 001 and 002, increased at Site 003, and remained the same at Site 005 when compared to last month. FRP results varied across comparison sites in background sampling though were lowest at Site 005.
- NOx was above the WQOs criteria at all sites. NOx has increased at Sites 001, 002 and 003, decreased at Site 005 when compared to last month.



- TN was above the WQOs criteria at all sites. TN has increased at Sites 001, 002 and 003 and decreased at Site 005 when compared to last month. TN was above the WQOs at comparison sites in baseline sampling.
- TP was above the WQOs at all sites. TP has increased at Sites 001 and 003 and decreased at Sites 002 and 005 when compared to the previous month. TP was above the WQOs at comparison sites in baseline sampling.
- Aluminium was above the WQO at Site 003. This is similar to the previous month. Aluminium has
 decreased at Sites 002 and 003, increased at Site 001, and remained the same at Site 005 when
 compared to last month. Aluminium has been observed at both upstream and downstream sampling
 sites during past sampling rounds.
- All other metals were within estuarine and freshwater criteria this month.
- Demeton was analysed and returned non-detectable results.
- TRH (C₁₀-C₄₀) was not detected at any sample site.

8.0 Quality Assurance and Quality Control

- Parameters analysed in the Trip Blank (013) and Field Blank (014) were below the laboratory detection limits for all analytes.
- The Duplicate Sample (015) was collected at Site 002 and is within acceptable limits for all analytes.
 The laboratory QA/QC is included in the results in **Appendix F**. All laboratory QA/QC was within acceptance criteria. Based on the above, the results are considered acceptable for the purposes of the project.

9.0 Summary of Results and Recommendations

- The month had very high rainfall.
- Nutrients (Ammonia, NOx, TN, TP and FRP) were high and exceeded some water quality parameters
 for some sites. This includes upstream and downstream sites in past sampling events. Exceedances
 in nutrients are therefore considered of natural occurrence.
- Aluminium exceeded WQOs at Site 003 during the month. Metals have been present in upstream
 and downstream sampling sites in previous sampling rounds. Elevation in metals may be due to pH
 and redox changes, microbial mineralisation and naturally occurring sediment transportation.
 Changes in metal concentrations are also likely following heavy rainfall events.
- Elevated nutrients and metals have been observed at all sampling locations including upstream and
 downstream sites in previous months and during baseline sampling. Therefore, based on the
 assessment of the February/March water quality data, the Tweed Valley Hospital Project construction
 activities are unlikely to be adversely impacting the downstream water quality. As such, the current
 soil and erosion controls implemented on site are considered to be effective.


Kind regards,

Environmental Engineer & Director

mob:
office: (02) 66-215-123
fax: (02) 66-218-123
ABN: 82 106 758 123



Appendix A. Site Photos





Appendix B. Calibration certificate for AquaTROLL

ThermoFisher SCIENTIFIC

ELECTROCHEMICAL INSTRUMENT MAINTENANCE & CALIBRATION REPORT

Thermo Fisher Scientific Australia Pty Ltd ABN 52 058 390 917 5 Caribbean Drive Scoresby VIC 3179 Phone: 1 300 735 295

Fax: 03 9763 1169

Customer Ecotechnology Australia PTY Ltd Address:

13 Ewing st Lismore NSW 2480

Attention:

Make: In-Situ Lab.ID/Assett No. Calibration Date: 27-05-2021 AquaTroll 400 741219 / 746352 Customer O/No. PO-0063 Next Calibration: 05-2022 SV2105240050 Serial No: Location: NA Call Number:

Service and Safety Checks	Pass/Fail		
Consult operator regarding performance/problems	Pass		
Check general operation, note additional problems	Pass		
Electrical safety if applicable to AS/NZS 3760:2003	N/A		
Initialization Procedure	Pass		
Instrument Condition	Pass		

Check and Adjust	5-36 :	Pass/Fail
Probes, leads and connectors		Pass
Keypad / user controls		Pass
Power supply / battery voltage and condition	on	Pass
Probe(s) performance (response slow or a	cceptable)	Acceptable
Internal and external cleaning		Pass

Calibration/ Accuracy Tests

	Standard Type	Serial Number (if applicable)	Standard Value ± Variation	Displayed Value	Standard Value ± Variation	Displayed Value	Standard Value ± Variation	Displayed Value	Pass/ Fail
v	рH	20945	7.00 ± 0.02	7.00	4.00 ± 0.02	4.00			Pass
~	mV (pH)		0.0 +/- 30	-7.7	175.5 +/- 30	163.1			Pass
~	Slope (pH)		-59.1 +/- 3	-56.93					Pass
v	DO	745063 _(r)	8.3mg/L @21.5oC	8.27mg/L @21.66oC	0.0	0.03			Pass
	ISE								
v	ORP	20945	234.5mV @22.0oC	234.5 @22.1oC					Pass
v	Conductivity	746352	1413us/cm	1413us/cm					Pass
	TDS								
v	Temp C	746352	22.5	22.47					Pass

Reference Instruments Used									
Make	Model / Part Number	Serial / Batch Number	Expiry / Reference #						
Thermo Scientific	ECBU4BTC1LIT	450/01	Nov 2023						
Thermo Scientific	ECBU7BTC1LIT	450/02	Nov 2023						
FLUKE	179 True RMS multimeter	91610338	Feb 2022						
Thermo Scientific	ECCON1413BT	270/01	Jun 2023						
ACR	Zobell A & B (0608/0609)	362211 (A) & 357174 (B)	Oct 2021 (A & B)						
TPS	Sodium Sulphite for Zero DO	10640	Aug 2021						

General Comments and Recommendations on Instrument Condition, Location Details and Parts Used in Service

Instrument inspected and noted operation. Refilled pH reference filling solution and replaced reference junction.

Cleaned sensors and instrument. Calibrated individual sensor parameters. DO Sensor slope of 1.070123. ORP sensor offset of 5.5mV. Conductivity cell constant:0.979

Issued Maintenance Kit and Reference junction kit.

Engineer's Name

Date

Issue 1

Oct 06

This document must not be reproduced except in full

G0232

Page 1 of 1



Appendix C. Full List of Sampling Analytes

3.7 Proposed Surface Water Quality Sampling Parameters

A summary of the proposed sampling analytes is provided below:

Field

- pH
- Turbidity
- Electrical Conductivity (EC)
- Dissolved Oxygen (DO)
- Temperature
- Oxidation Reduction Potential (ORP)
- Oil and grease

Laboratory

- Total Suspended Solids (TSS)
- Total Dissolved Solids (TDS)
- Major Cations & Hardness
- Ammonia
- Chlorophyll-a
- Filterable Reactive Phosphorus
- Nitrate
- Oxides of Nitrogen
- Total Nitrogen
- · Total Phosphorus
- Aluminium (pH > 6.5) filtered
- Arsenic (filtered)
- Boron (filtered)
- Cadmium (filtered)
- Chromium (filtered)
- Copper (filtered)
- Cobalt (filtered)
- Lead (filtered)
- Manganese (filtered)
- Mercury (filtered)

- Nickel (filtered)
- Selenium (filtered)
- · Silver (filtered)
- Zinc (filtered)
- Benzene
- Toluene
- Ethylbenzene
- Xylene Total
- Naphthalene
- Total Recoverable Hydrocarbons (TRH)
- · Organochlorine Pesticides (OCP)
 - o 4.4'-DDE
 - o 4.4'-DDT
 - o Aldrin
 - o g-BHC (Lindane)
 - Chlordane
 - Dieldrin
 - Endosulfan
 - Endrin
 - Heptachlor
 - Toxaphene
- Organophosphorus Pesticides (OPP)
 - Azinphos-methyl
 - Chlorpyrifos
 - o Demeton-S
 - Diazinon
 - DimethoateFenitrothion
 - Malathion

If a sample returns detectable concentrations of the analytes presented in Table 1, additional analyses may be required to enable comparison against additional trigger criteria or trace potential sources of contaminants. It is cost prohibitive to analyse these parameters unless required.

Table 1 Additional Analysis Requirements

Analyte	Additional Analysis
Total Recoverable Hydrocarbons	TRH Silica-gel Clean-up
Arsenic (filtered)	Arsenic (III) (filtered) Arsenic (V) (filtered)
Chromium (filtered)	Chromium (CrVI) (filtered)





Appendix D. Chain of Custody Form

			٠.	-									4	0	K (d:	16	27			
[Copyright and C	ENVIROLINA IB			CUSTO									-		5	ydney L 2 Ashle	<u>ab</u> - Env y St, Ch	rirolab S atswood	ervices I, NSW 2	067 Irolab.com.au	
11407	<u>w</u> β	ENVI	ROLAB GI	ROUP - Natio	nal p	hone	numbe	er 130	0 42	4 344					1	erth La	MPL	Laborat	ories ee, WA 6	154	l
Client: Ecoteam		1		1	Client	Proje	ct Name	/ Num	ber /	Site et	c (ie re	port t	itte):						mpl.cor		i
Contact Person:	Lise Bolton ,				<u> </u>	SI	MC009,3	з -т	weed '	Valley	Hospit	al Proj	ect						ab Servic		ĺ
Project Mgr: Lise	Bolton				PO No	o.:														h, VIC 3136 envirolab.com.au	
Sampler:							uote No.				19SY22	B_Rev	1.				O#1				
Address: 13 Ewi	ng Street				Date	results	require	ď:											lab Servio d, SA 506		
Lismore NSW 24	80						standard									h: 08 70	87 680	0 / adel	aide@er	virolab.com.au	ŀ
					nose:	intorm	lab in ad	vance ir	urgent	t turnan	ouna is	require	a - sur	narges					ab Servic		
Phone:	02 6621 5123	Mob:			_		eport for	rmat: (esdat /	/ equis										virolab.com.au	l
Email:		Ì				ommë													b Service		
	sts - Chlorophyll-a <4 mg/m3, To	t-I Dhaaba		Chan do Ot and th			As, B, Co /K/Ca/N							itial					rimah, N in@envi	T 0820 rolab.com.au	
resting rquiremen	Low level OC			, Silver <0.05 lig/L ,			etals res					, •		·····				.,			-
	Sample in	formation .		4.81		•					Test	s Requ	ired					1. 2.		- Comments -	'
			}_		Ι.	+ 2 2	iene W			Ι	Π	· o	(FRP)					۶ ۸			ĺ
Envirolab	Client Sample ID or	1			TRH/BTEXN	issolved Metals low level silve (0.00005 mo/1	xaphe n LOW	۱	۰,	ess	E E	Cholorphyil-a	E	8	ا	z	-			Provide as much	
Sample ID	information	Depth	Date sampled	Type of sample	⊊	low level	DC/OP + toxal + demeton L LEVEL	TSS	. SE	Cations	Ammonia	g	Phosphate	Nitrate	Nox	Total N	Total P	- ASTII HOLD		information about the	
l		1			Ĕ	ssolv low	d d	l		3 ≆	₹	8	g	^		-	-	ļģ _		sample as you can	
	004 14/6	200		747-4	—	-		_		٠.	 , ,	-	- -				 	٩	\vdash		l
<u> </u>	001 - WC	300 mm		Water	X	X	X	X	X	X	X	X	X_	X	X	X	X	├	\vdash	En	rirolab Services
<u>2</u> 3	002 - NWC 003 - EC	150 mm		Water	X	X	X	X	X	X	X	X	X.	X	X	X	X	├-	\vdash	CHICAGOLAB Chaire	12 Ashioy St 1008 NSW 2007
	003 - EC	150 mm		<u>Water</u> Water	X	X	X	X	X	X	X	X	X	X	X	X.	X	-	\vdash	Ph	102) 9910 8200
4	013	300 mm		Water	X	X	X	X X	X	X	X	X	X	X	X	X	X	\vdash	\vdash		1810
6	014	300 mm		Water	T _X	_	X	X	_	+	X	X	X.	X	X	X	X	\vdash	\vdash	Pate Received:	20-
	014	300 mm			 	X		-	X	X	X	X	X	X	X	X	X	⊢		Time Recoived 4	29/03/22
7	1(015	500 11111	<u> </u>	<u>Water</u>	 ^	·X	X	X	Х	X	X	X	X	Х	X	Х	Х	\vdash			
			-		⊢	\vdash	_	-		\vdash			-	-	_			-	$\overline{}$	Temp: Cool/Ambien	
		-			⊢	\vdash	_	\vdash	<u> </u>	\vdash	├-		-	 	<u> </u>	_	<u> </u>	-	\vdash	Security: Machine.	,100
				ļ	⊢	-	_	⊢-	-	-	├	├—	 	<u> </u>	_	_	<u> </u>	ऻ—		Machaic"	า isone
	Please tick the box i	fobser	ad sottled	nodiment see	l cont		ton 55			to b	l	lunde:	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>	h a c:		42					
	•		eu semea s								Inci	иаес	ın t	ne ex	ctrac				aiysi	S	
					mpany): ELS Sydney				Lab osc omy					l							
Print Name:	Print Name:			Job number: 2018								1									
Date & Time:						24/03/22 (04) Temperature: 10 0 Security seal: Intact / Broken / None				l											
signature:	TAT Req - SAME day / 1 / 2 / 3 / 4 / STD									i											

Form 302_V004

Issue date: 21 May 2019

age 1 of 1



Appendix E. Summary of Lab Results compared to WQOs

		Water (Object (WQ	tives			s	ample Co	des	6			
Analyte	Unit		Fresh	WC	NWC	EC	DD		013	013 014		
		Estuary	Water	001	002	003	005		Trip	Field	Duplicate	
Total	mg/L											
Suspended Solids (TSS)		N/A	N/A	11	10	<5	<5		< 5	< 5	6	
Total Dissolved	mg/L											
Solids (TDS)	IIIg/L	N/A	N/A	480	300	170	140		<5	<5	260	
Major Cat				ons (dis	solved	and Ha	ardness					
Sodium	mg/L	N/A	N/A	62	54	20	21		<0.5	<0.5	54	
Potassium	mg/L	N/A	N/A	4	3	1	1		<0.5	<0.5	3	
Calcium	mg/L	N/A	N/A	63	24	10	4		<0.5	<0.5	24	
Magnesium	mg/L	N/A	N/A	15	9.4	4	4		<0.5	<0.5	9.3	
Hardness mgCa	aCO ₃ /L	N/A	N/A	220	99	40	27		<3	<3	98	
				Nι	itrients							
Ammonia	mg/L	0.015	0.02	0.13	0.23	<0.005	0.052		<0.005	<0.005	0.25	
Chlorophyll-a	mg/m³	4	5	<2	<2	<2	<2		<2	<2	<2	
Filterable Reactive Phosphorus	mg/L	0.005	0.02	<0.005	<0.005	0.03	<0.005		<0.005	<0.005	0.006	
Nitrate	mg/L	N/A	N/A	0.13	1.2	0.12	3.2		<0.005	<0.005	1.2	
Oxides of Nitrogen	mg/L	0.015	0.040	0.1	1.2	0.1	3.2		<0.005	<0.005	1.2	
Total Nitrogen	mg/L	0.30	0.35	0.8	2.0	1.1	4.1		<0.1	<0.1	2.0	
Total Phosphorus	mg/L	0.030	0.025	0.05	0.04	0.2	0.05		<0.02	<0.02	0.05	
		Me	tals – A	II metal	s are Di	ssolved	Metals					
Aluminium	μg/L	N/A	55	70	80	300	30		<10	<10	80	
Arsenic	μg/L	N/A	13	<1	<1	2	<1		<1	<1	<1	
Boron	μg/L	N/A	370	90	90	50	60		<20	<20	90	
Cadmium	μg/L	5.5	0.2	<0.1	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1	
Chromium	μg/L	4.4	1.0	<1	<1	<1	<1		<1	<1	<1	
Copper	μg/L	1.3	1.4	<1	<1	<1	<1		<1	<1	<1	
Cobalt	μg/L	1.0	N/A	<1	<1	<1	<1		<1	<1	<1	
Lead	μg/L	4.4	3.4	<1	<1	<1	<1		<1	<1	<1	
Manganese	μg/L	N/A	1,900	320	210	62	58		<1	<1	200	
Mercury	μg/L	0.4	0.6	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	
Nickel	μg/L	70	11	<1	<1	<1	<1		<1	<1	<1	
Selenium	μg/L	N/A	11	<1	<1	<1	<1		<1	<1	<1	
Zinc	μg/L	15	8.0	3	4	7	7		<1	<1	5	
Silver	μg/L	1.4	0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05	



		Water (Object (WC	ctives	Sample Codes							
Analyte	Unit	Estuary	Fresh Water	WC 001	NWC 002	EC 003	DD 005		013 Trip	014 Field	015 Duplicate
Hydrocarbor	าร										
Toluene	mg/L	0.70	0.95	<1	<1	<1	<1		<1	<1	<1
Ethylbenzene	mg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Xylene	mg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Naphthalene	mg/L	N/A	0.55	<1	<1	<1	<1		<1	<1	<1
TRH C ₆ - C ₁₀	mg/L	0.07	0.016	<10	<10	<10	<10		<10	<10	<10
TRH C ₁₀ - C ₁₆	mg/L	N/A	N/A	<50	<50	<50	<50		<50	64	<50
TRH C ₁₆ - C ₃₄	mg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH >C ₃₄ - C ₄₀	mg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH C ₆ -C ₁₀ less BTEX (F1)	mg/L	N/A	N/A	<10	<10	<10	<10		<10	<10	<10
TRH >C ₁₀ -C ₁₆ less Naphthalene (F2)	mg/L	N/A	N/A	<50	<50	<50	<50		<50	<50	<50
Organochlorine Pesticides (OCP)											
4.4'-DDE	μg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
4.4'-DDT	μg/L	N/A	0.01	<0.006	<0.006	<0.006	<0.006		<0.006	<0.006	<0.006
Aldrin	μg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
g-BHC	μg/L	N/A	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Chlordane	μg/L	N/A	0.08	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dieldrin	μg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Endosulfan	μg/L	0.01	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Endrin	μg/L	0.02	0.008	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Heptachlor	μg/L	N/A	0.09	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Toxaphene	µg/L	N/A	0.2	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Organophos	phoru	s Pestic	ides (O	PP)							
Azinphos- methyl	μg/L	N/A	0.02	<0.02	<0.02	<0.02	<0.02		<0.02	<0.02	<0.02
Chlorpyriphos	μg/L	0.009	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Demeton-S	μg/L	N/A	N/A	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Diazinon	μg/L	N/A	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dimethoate	μg/L	N/A	0.15	<0.15	<0.15	<0.15	<0.15		<0.15	<0.15	<0.15
Fenitrothion	μg/L	N/A	0.2	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Malathion	μg/L	N/A	0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05



Appendix F. Full Laboratory Results



Envirolab Services Pty Ltd

ABN 37 112 535 645 12 Ashley St Chatswood NSW 2067 ph 02 9910 6200 fax 02 9910 6201 customerservice@envirolab.com.au www.envirolab.com.au

CERTIFICATE OF ANALYSIS 291810

Client Details	
Client	Ecoteam
Attention	
Address	13 Ewing Street, Lismore, NSW, 2480

Sample Details	
Your Reference	SMC009.33 - Tweed Valley Hospital Project
Number of Samples	7 Water
Date samples received	24/03/2022
Date completed instructions received	24/03/2022

Analysis Details

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.


Please refer to the last page of this report for any comments relating to the results.

Report Details					
Date results requested by	31/03/2022				
Date of Issue	31/03/2022				
NATA Accreditation Number 2901. This document shall not be reproduced except in full.					
Accredited for compliance with ISO/IEC 17025 - Testing. Tests not covered by NATA are denoted with *					

Results Approved By



Authorised By





vTRH(C6-C10)/BTEXN in Water						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	26/03/2022	26/03/2022	26/03/2022	26/03/2022	26/03/2022
Date analysed	-	26/03/2022	26/03/2022	26/03/2022	26/03/2022	26/03/2022
TRH C ₆ - C ₉	μg/L	<10	<10	<10	<10	<10
TRH C ₆ - C ₁₀	μg/L	<10	<10	<10	<10	<10
TRH C ₆ - C ₁₀ less BTEX (F1)	μg/L	<10	<10	<10	<10	<10
Benzene	μg/L	<1	<1	<1	<1	<1
Toluene	μg/L	<1	<1	<1	<1	<1
Ethylbenzene	μg/L	<1	<1	<1	<1	<1
m+p-xylene	μg/L	<2	<2	<2	<2	<2
o-xylene	μg/L	<1	<1	<1	<1	<1
Naphthalene	μg/L	<1	<1	<1	<1	<1
Surrogate Dibromofluoromethane	%	83	90	95	94	96
Surrogate toluene-d8	%	82	90	94	94	78
Surrogate 4-BFB	%	102	102	91	107	103

vTRH(C6-C10)/BTEXN in Water			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date extracted	-	26/03/2022	26/03/2022
Date analysed	-	26/03/2022	26/03/2022
TRH C ₆ - C ₉	μg/L	<10	<10
TRH C ₆ - C ₁₀	μg/L	<10	<10
TRH C ₆ - C ₁₀ less BTEX (F1)	μg/L	<10	<10
Benzene	μg/L	<1	<1
Toluene	μg/L	<1	<1
Ethylbenzene	μg/L	<1	<1
m+p-xylene	μg/L	<2	<2
o-xylene	μg/L	<1	<1
Naphthalene	μg/L	<1	<1
Surrogate Dibromofluoromethane	%	94	94
Surrogate toluene-d8	%	93	73
Surrogate 4-BFB	%	110	102

svTRH (C10-C40) in Water						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	29/03/2022	29/03/2022	29/03/2022	29/03/2022	29/03/2022
Date analysed	-	30/03/2022	30/03/2022	30/03/2022	30/03/2022	30/03/2022
TRH C ₁₀ - C ₁₄	μg/L	<50	<50	<50	<50	<50
TRH C ₁₅ - C ₂₈	μg/L	<100	<100	<100	<100	<100
TRH C ₂₉ - C ₃₆	μg/L	<100	<100	<100	<100	<100
TRH >C ₁₀ - C ₁₆	μg/L	<50	<50	<50	<50	<50
TRH >C ₁₀ - C ₁₆ less Naphthalene (F2)	μg/L	<50	<50	<50	<50	<50
TRH >C ₁₆ - C ₃₄	μg/L	<100	<100	<100	<100	<100
TRH >C ₃₄ - C ₄₀	μg/L	<100	<100	<100	<100	<100
Surrogate o-Terphenyl	%	73	71	73	82	85

svTRH (C10-C40) in Water			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date extracted	-	29/03/2022	29/03/2022
Date analysed	-	30/03/2022	30/03/2022
TRH C ₁₀ - C ₁₄	μg/L	<50	<50
TRH C ₁₅ - C ₂₈	μg/L	<100	<100
TRH C ₂₉ - C ₃₆	μg/L	<100	<100
TRH >C ₁₀ - C ₁₆	μg/L	<50	<50
TRH >C ₁₀ - C ₁₆ less Naphthalene (F2)	μg/L	<50	<50
TRH >C ₁₆ - C ₃₄	μg/L	<100	<100
TRH >C ₃₄ - C ₄₀	μg/L	<100	<100
Surrogate o-Terphenyl	%	77	81

OCPs in Water - Low Level						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	29/03/2022	29/03/2022	29/03/2022	29/03/2022	29/03/2022
Date analysed	-	31/03/2022	31/03/2022	31/03/2022	31/03/2022	31/03/2022
alpha-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
нсв	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
beta-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
delta-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor Epoxide	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-Chlordane	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
alpha-Chlordane	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan I	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDE	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan II	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDD	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin Aldehyde	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDT	μg/L	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan Sulphate	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Methoxychlor	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Surrogate TCMX	%	84	83	66	119	93

OCPs in Water - Low Level			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date extracted	-	29/03/2022	29/03/2022
Date analysed	-	31/03/2022	31/03/2022
alpha-BHC	μg/L	<0.01	<0.01
нсв	μg/L	<0.01	<0.01
beta-BHC	μg/L	<0.01	<0.01
gamma-BHC	μg/L	<0.01	<0.01
Heptachlor	μg/L	<0.01	<0.01
delta-BHC	μg/L	<0.01	<0.01
Aldrin	μg/L	<0.01	<0.01
Heptachlor Epoxide	μg/L	<0.01	<0.01
gamma-Chlordane	μg/L	<0.01	<0.01
alpha-Chlordane	μg/L	<0.01	<0.01
Endosulfan I	μg/L	<0.01	<0.01
pp-DDE	μg/L	<0.01	<0.01
Dieldrin	μg/L	<0.01	<0.01
Endrin	μg/L	<0.01	<0.01
Endosulfan II	μg/L	<0.01	<0.01
pp-DDD	μg/L	<0.01	<0.01
Endrin Aldehyde	μg/L	<0.01	<0.01
pp-DDT	μg/L	<0.006	<0.006
Endosulfan Sulphate	μg/L	<0.01	<0.01
Methoxychlor	μg/L	<0.01	<0.01
Surrogate TCMX	%	91	69

OP in water LL ANZECCF/ADWG						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	29/03/2022	29/03/2022	29/03/2022	29/03/2022	29/03/2022
Date analysed	-	31/03/2022	31/03/2022	31/03/2022	31/03/2022	31/03/2022
Dichlorovos	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Dimethoate	μg/L	<0.15	<0.15	<0.15	<0.15	<0.15
Diazinon	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyriphos-methyl	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Methyl Parathion	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Ronnel	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Fenitrothion	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Malathion	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorpyriphos	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Parathion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Bromophos ethyl	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Ethion	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Azinphos-methyl (Guthion)	μg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Surrogate TCMX	%	68	83	66	119	93

OP in water LL ANZECCF/ADWG			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date extracted	-	29/03/2022	29/03/2022
Date analysed	-	31/03/2022	31/03/2022
Dichlorovos	μg/L	<0.2	<0.2
Dimethoate	μg/L	<0.15	<0.15
Diazinon	μg/L	<0.01	<0.01
Chlorpyriphos-methyl	μg/L	<0.2	<0.2
Methyl Parathion	μg/L	<0.2	<0.2
Ronnel	μg/L	<0.2	<0.2
Fenitrothion	μg/L	<0.2	<0.2
Malathion	μg/L	<0.05	<0.05
Chlorpyriphos	μg/L	<0.01	<0.01
Parathion	μg/L	<0.01	<0.01
Bromophos ethyl	μg/L	<0.2	<0.2
Ethion	μg/L	<0.2	<0.2
Azinphos-methyl (Guthion)	μg/L	<0.02	<0.02
Surrogate TCMX	%	91	69

Miscellaneous Organics - water							
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5	
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013	
Depth		300mm	150mm	300mm	150mm	300mm	
Type of sample		Water	Water	Water	Water	Water	
Date prepared	-	29/03/2022	29/03/2022	29/03/2022	29/03/2022	29/03/2022	
Date analysed	-	30/03/2022	30/03/2022	30/03/2022	30/03/2022	30/03/2022	
Toxaphene*	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2	
Demeton-O	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2	
Demeton-S	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2	
Surrogate p-Terphenyl-d ₁₄	%	67	68	97	102	73	

Miscellaneous Organics - water			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date prepared	-	29/03/2022	29/03/2022
Date analysed	-	30/03/2022	30/03/2022
Toxaphene*	μg/L	<0.2	<0.2
Demeton-O	μg/L	<0.2	<0.2
Demeton-S	μg/L	<0.2	<0.2
Surrogate p-Terphenyl-d ₁₄	%	67	61

HM in water - dissolved						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	28/03/2022	28/03/2022	28/03/2022	28/03/2022	28/03/2022
Date analysed	-	28/03/2022	28/03/2022	28/03/2022	28/03/2022	28/03/2022
Aluminium-Dissolved	μg/L	70	80	300	30	<10
Arsenic-Dissolved	μg/L	<1	<1	2	<1	<1
Boron-Dissolved	μg/L	90	90	50	60	<20
Cadmium-Dissolved	μg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium-Dissolved	μg/L	<1	<1	<1	<1	<1
Copper-Dissolved	μg/L	<1	<1	<1	<1	<1
Cobalt-Dissolved	μg/L	<1	<1	<1	<1	<1
Lead-Dissolved	μg/L	<1	<1	<1	<1	<1
Manganese-Dissolved	μg/L	320	210	62	58	<1
Mercury-Dissolved	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Nickel-Dissolved	μg/L	<1	<1	<1	<1	<1
Selenium-Dissolved	μg/L	<1	<1	<1	<1	<1
Zinc-Dissolved	μg/L	3	4	7	7	<1
Silver-Dissolved	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05

HM in water - dissolved			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date prepared	-	28/03/2022	28/03/2022
Date analysed	-	28/03/2022	28/03/2022
Aluminium-Dissolved	μg/L	<10	80
Arsenic-Dissolved	μg/L	<1	<1
Boron-Dissolved	μg/L	<20	90
Cadmium-Dissolved	μg/L	<0.1	<0.1
Chromium-Dissolved	μg/L	<1	<1
Copper-Dissolved	μg/L	<1	<1
Cobalt-Dissolved	μg/L	<1	<1
Lead-Dissolved	μg/L	<1	<1
Manganese-Dissolved	μg/L	<1	200
Mercury-Dissolved	μg/L	<0.05	<0.05
Nickel-Dissolved	μg/L	<1	<1
Selenium-Dissolved	μg/L	<1	<1
Zinc-Dissolved	μg/L	<1	5
Silver-Dissolved	μg/L	<0.05	<0.05

Metals in Waters - Acid extractable						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	31/03/2022	31/03/2022	31/03/2022	31/03/2022	31/03/2022
Date analysed	-	31/03/2022	31/03/2022	31/03/2022	31/03/2022	31/03/2022
Phosphorus - Total	mg/L	0.05	0.04	0.2	0.05	<0.02

Metals in Waters - Acid extractable			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date prepared	-	31/03/2022	31/03/2022
Date analysed	-	31/03/2022	31/03/2022
Phosphorus - Total	mg/L	<0.02	0.05

Cations in water Dissolved						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date digested	-	28/03/2022	28/03/2022	28/03/2022	28/03/2022	28/03/2022
Date analysed	-	30/03/2022	30/03/2022	30/03/2022	30/03/2022	30/03/2022
Sodium - Dissolved	mg/L	62	54	20	21	<0.5
Potassium - Dissolved	mg/L	4	3	1	1	<0.5
Calcium - Dissolved	mg/L	63	24	10	4	<0.5
Magnesium - Dissolved	mg/L	15	9.4	4	4	<0.5
Hardness	mgCaCO 3 /L	220	99	40	27	<3

Cations in water Dissolved			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date digested	-	28/03/2022	28/03/2022
Date analysed	-	30/03/2022	30/03/2022
Sodium - Dissolved	mg/L	<0.5	54
Potassium - Dissolved	mg/L	<0.5	3
Calcium - Dissolved	mg/L	<0.5	24
Magnesium - Dissolved	mg/L	<0.5	9.3
Hardness	mgCaCO 3 /L	<3	98

Miscellaneous Inorganics						
Our Reference		291810-1	291810-2	291810-3	291810-4	291810-5
Your Reference	UNITS	001-WC	002 - NWC	003 - EC	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	25/03/2022	25/03/2022	25/03/2022	25/03/2022	25/03/2022
Date analysed	-	25/03/2022	25/03/2022	25/03/2022	25/03/2022	25/03/2022
Total Suspended Solids	mg/L	11	10	<5	<5	<5
Total Dissolved Solids (grav)	mg/L	480	300	170	140	<5
Ammonia as N in water	mg/L	0.13	0.23	<0.005	0.052	<0.005
Chlorophyll a	mg/m³	<2	<2	<2	<2	<2
Phosphate as P in water	mg/L	<0.005	<0.005	0.03	<0.005	0.006
Nitrate as N in water	mg/L	0.13	1.2	0.12	3.2	<0.005
NOx as N in water	mg/L	0.1	1.2	0.1	3.2	<0.005
Total Nitrogen in water	mg/L	0.8	2.0	1.1	4.1	<0.1

Miscellaneous Inorganics			
Our Reference		291810-6	291810-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Type of sample		Water	Water
Date prepared	-	25/03/2022	25/03/2022
Date analysed	-	25/03/2022	25/03/2022
Total Suspended Solids	mg/L	<5	6
Total Dissolved Solids (grav)	mg/L	<5	260
Ammonia as N in water	mg/L	<0.005	0.25
Chlorophyll a	mg/m³	<2	<2
Phosphate as P in water	mg/L	0.008	0.006
Nitrate as N in water	mg/L	<0.005	1.2
NOx as N in water	mg/L	<0.005	1.2
Total Nitrogen in water	mg/L	<0.1	2.0

Method ID	Methodology Summary
Inorg-018	Total Dissolved Solids - determined gravimetrically. The solids are dried at 180+/-10°C.
Inorg-019	Suspended Solids - determined gravimetricially by filtration of the sample. The samples are dried at 104+/-5°C.
Inorg-055	Nitrate - determined colourimetrically. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
Inorg-055/062/127	Total Nitrogen - Calculation sum of TKN and oxidised Nitrogen. Alternatively analysed by combustion and chemiluminescence.
Inorg-057	Ammonia - determined colourimetrically, based on APHA latest edition 4500-NH3 F. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a KCl extraction.
Inorg-060	Phosphate determined colourimetrically based on EPA365.1 and APHA latest edition 4500 P E. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
INORG-119	Chlorophyll A based on APHA 10200 H latest edition.
Metals-020	Determination of various metals by ICP-AES.
Metals-021	Determination of Mercury by Cold Vapour AAS.
Metals-022	Determination of various metals by ICP-MS.
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID. F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.
Org-022	Determination of VOCs sampled onto coconut shell charcoal sorbent tubes, that can be desorbed using carbon disulphide, and analysed by GC-MS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-023	Water samples are analysed directly by purge and trap GC-MS.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.

QUALITY CONT	ROL: vTRH(C6-C10)/E	BTEXN in Water			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W4	[NT]
Date extracted	-			26/03/2022	1	26/03/2022	29/03/2022		26/03/2022	
Date analysed	-			26/03/2022	1	26/03/2022	29/03/2022		26/03/2022	
TRH C ₆ - C ₉	μg/L	10	Org-023	<10	1	<10	<10	0	91	
TRH C ₆ - C ₁₀	μg/L	10	Org-023	<10	1	<10	<10	0	91	
Benzene	μg/L	1	Org-023	<1	1	<1	<1	0	108	
Toluene	μg/L	1	Org-023	<1	1	<1	<1	0	76	
Ethylbenzene	μg/L	1	Org-023	<1	1	<1	<1	0	90	
m+p-xylene	μg/L	2	Org-023	<2	1	<2	<2	0	90	
o-xylene	μg/L	1	Org-023	<1	1	<1	<1	0	104	
Naphthalene	μg/L	1	Org-023	<1	1	<1	<1	0	[NT]	
Surrogate Dibromofluoromethane	%		Org-023	94	1	83	91	9	100	
Surrogate toluene-d8	%		Org-023	93	1	82	103	23	81	
Surrogate 4-BFB	%		Org-023	105	1	102	99	3	102	

QUALITY CON	ITROL: svTF	RH (C10-0	C40) in Water			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			29/03/2022	3	29/03/2022	29/03/2022		29/03/2022	
Date analysed	-			29/03/2022	3	30/03/2022	30/03/2022		29/03/2022	
TRH C ₁₀ - C ₁₄	μg/L	50	Org-020	<50	3	<50	<50	0	88	
TRH C ₁₅ - C ₂₈	μg/L	100	Org-020	<100	3	<100	<100	0	86	
TRH C ₂₉ - C ₃₆	μg/L	100	Org-020	<100	3	<100	<100	0	94	
TRH >C ₁₀ - C ₁₆	μg/L	50	Org-020	<50	3	<50	<50	0	88	
TRH >C ₁₆ - C ₃₄	μg/L	100	Org-020	<100	3	<100	<100	0	86	
TRH >C ₃₄ - C ₄₀	μg/L	100	Org-020	<100	3	<100	<100	0	94	
Surrogate o-Terphenyl	%		Org-020	77	3	73	71	3	88	

QUALITY	CONTROL: OCF	s in Wate	er - Low Level			Du		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W3	[NT]
Date extracted	-			29/03/2022	3	29/03/2022	29/03/2022		29/03/2022	
Date analysed	-			31/03/2022	3	31/03/2022	31/03/2022		31/03/2022	
alpha-BHC	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	84	
HCB	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
beta-BHC	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	86	
gamma-BHC	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
Heptachlor	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	84	
delta-BHC	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
Aldrin	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	88	
Heptachlor Epoxide	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	86	
gamma-Chlordane	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
alpha-Chlordane	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
Endosulfan I	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
pp-DDE	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	88	
Dieldrin	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	96	
Endrin	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	98	
Endosulfan II	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
pp-DDD	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	88	
Endrin Aldehyde	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
pp-DDT	μg/L	0.006	Org-022	<0.006	3	<0.006	<0.006	0	[NT]	
Endosulfan Sulphate	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	86	
Methoxychlor	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
Surrogate TCMX	%		Org-022/025	89	3	66	126	62	82	

QUALITY CONTROL: OP in water LL ANZECCF/ADWG						Du		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W3	[NT]
Date extracted	-			29/03/2022	3	29/03/2022	29/03/2022		29/03/2022	
Date analysed	-			31/03/2022	3	31/03/2022	31/03/2022		31/03/2022	
Dichlorovos	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	83	
Dimethoate	μg/L	0.15	Org-022/025	<0.15	3	<0.15	<0.15	0	[NT]	
Diazinon	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	[NT]	
Chlorpyriphos-methyl	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	[NT]	
Methyl Parathion	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	[NT]	
Ronnel	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	86	
Fenitrothion	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	110	
Malathion	μg/L	0.05	Org-022/025	<0.05	3	<0.05	<0.05	0	131	
Chlorpyriphos	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	92	
Parathion	μg/L	0.01	Org-022/025	<0.01	3	<0.01	<0.01	0	100	
Bromophos ethyl	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	[NT]	
Ethion	μg/L	0.2	Org-022/025	<0.2	3	<0.2	<0.2	0	106	
Azinphos-methyl (Guthion)	μg/L	0.02	Org-022/025	<0.02	3	<0.02	<0.02	0	[NT]	
Surrogate TCMX	%		Org-022/025	89	3	66	126	62	82	

QUALITY CONTE		Du	Spike Recovery %							
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	291810-4
Date prepared	-			29/03/2022	[NT]		[NT]	[NT]	29/03/2022	29/03/2022
Date analysed	-			30/03/2022	[NT]		[NT]	[NT]	30/03/2022	30/03/2022
Toxaphene*	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Demeton-O	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Demeton-S	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Surrogate p-Terphenyl-d ₁₄	%		Org-022/025	73	[NT]		[NT]	[NT]	65	64

QUALITY CO	ONTROL: HN	- dissolved			Du	Duplicate			Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	291810-2	
Date prepared	-			28/03/2022	1	28/03/2022	28/03/2022		28/03/2022	28/03/2022	
Date analysed	-			28/03/2022	1	28/03/2022	28/03/2022		28/03/2022	28/03/2022	
Aluminium-Dissolved	μg/L	10	Metals-022	<10	1	70	70	0	102	101	
Arsenic-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	96	94	
Boron-Dissolved	μg/L	20	Metals-022	<20	1	90	90	0	91	92	
Cadmium-Dissolved	μg/L	0.1	Metals-022	<0.1	1	<0.1	<0.1	0	96	96	
Chromium-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	94	94	
Copper-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	95	93	
Cobalt-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	94	91	
Lead-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	94	92	
Manganese-Dissolved	μg/L	1	Metals-022	<1	1	320	320	0	95	#	
Mercury-Dissolved	μg/L	0.05	Metals-021	<0.05	1	<0.05	<0.05	0	110	[NT]	
Nickel-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	96	92	
Selenium-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	92	85	
Zinc-Dissolved	μg/L	1	Metals-022	<1	1	3	3	0	95	97	
Silver-Dissolved	μg/L	0.05	Metals-022	<0.05	1	<0.05	<0.05	0	100	82	

QUALITY CONTRO			Du		Spike Recovery %					
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	291810-2
Date prepared	-			31/03/2022	1	31/03/2022	31/03/2022		31/03/2022	31/03/2022
Date analysed	-			31/03/2022	1	31/03/2022	31/03/2022		31/03/2022	31/03/2022
Phosphorus - Total	mg/L	0.02	Metals-020	<0.02	1	0.05	0.05	0	106	114

Envirolab Reference: 291810

Revision No: R00

QUALITY CON		Du	plicate		Spike Recovery %					
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	291810-2
Date digested	-			28/03/2022	1	28/03/2022	28/03/2022		28/03/2022	28/03/2022
Date analysed	-			30/03/2022	1	30/03/2022	30/03/2022		30/03/2022	30/03/2022
Sodium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	62	62	0	98	95
Potassium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	4	4	0	94	86
Calcium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	63	63	0	94	84
Magnesium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	15	15	0	97	85
Hardness	mgCaCO 3 /L	3		[NT]	1	220	220	0	[NT]	[NT]

QUALITY COI		Du		Spike Recovery %						
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W4	291810-2
Date prepared	-			25/03/2022	1	25/03/2022	25/03/2022		25/03/2022	25/03/2022
Date analysed	-			25/03/2022	1	25/03/2022	25/03/2022		25/03/2022	25/03/2022
Total Suspended Solids	mg/L	5	Inorg-019	<5	1	11	12	9	86	[NT]
Total Dissolved Solids (grav)	mg/L	5	Inorg-018	<5	1	480	470	2	108	[NT]
Ammonia as N in water	mg/L	0.005	Inorg-057	<0.005	1	0.13	0.12	8	105	89
Chlorophyll a	mg/m³	2	INORG-119	<2	1	<2	[NT]		97	[NT]
Phosphate as P in water	mg/L	0.005	Inorg-060	<0.005	1	<0.005	<0.005	0	112	97
Nitrate as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.13	0.13	0	95	88
NOx as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.1	0.1	0	95	88
Total Nitrogen in water	mg/L	0.1	Inorg-055/062/127	<0.1	1	0.8	0.9	12	98	101

Result Definiti	ons
NT	Not tested
NA	Test not required
INS	Insufficient sample for this test
PQL	Practical Quantitation Limit
<	Less than
>	Greater than
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
NS	Not specified
NEPM	National Environmental Protection Measure
NR	Not Reported

Envirolab Reference: 291810

Revision No: R00

Quality Control	ol Definitions
Blank	This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.
Duplicate	This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.
Matrix Spike	A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.
LCS (Laboratory Control Sample)	This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.
Surrogate Spike	Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Australian Drinking Water Guidelines recommend that Thermotolerant Coliform, Faecal Enterococci, & E.Coli levels are less than 1cfu/100mL. The recommended maximums are taken from "Australian Drinking Water Guidelines", published by NHMRC & ARMC 2011.

The recommended maximums for analytes in urine are taken from "2018 TLVs and BEIs", as published by ACGIH (where available). Limit provided for Nickel is a precautionary guideline as per Position Paper prepared by AIOH Exposure Standards Committee, 2016.

Guideline limits for Rinse Water Quality reported as per analytical requirements and specifications of AS 4187, Amdt 2 2019, Table 7.2

Laboratory Acceptance Criteria

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: >10xPQL - RPD acceptance criteria will vary depending on the analytes and the analytical techniques but is typically in the range 20%-50% – see ELN-P05 QA/QC tables for details; <10xPQL - RPD are higher as the results approach PQL and the estimated measurement uncertainty will statistically increase.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals (not SPOCAS); 60-140% for organics/SPOCAS (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Measurement Uncertainty estimates are available for most tests upon request.

Analysis of aqueous samples typically involves the extraction/digestion and/or analysis of the liquid phase only (i.e. NOT any settled sediment phase but inclusive of suspended particles if present), unless stipulated on the Envirolab COC and/or by correspondence. Notable exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, total recoverable metals and PFAS where solids are included by default.

Page | 25 of 26

Samples for Microbiological analysis (not Amoeba forms) received outside of the 2-8°C temperature range do not meet the ideal cooling conditions as stated in AS2031-2012.

Report Comments

8 HM in water - dissolved - # Percent recovery is not applicable due to the high concentration of the element/s in the sample/s. However an acceptable recovery was obtained for the LCS.

Miscellaneous Organics - water - The recovery of LCS and matrix spike cannot be reported due to the fact they are not in the list of analytes requested. However, the non-reported analytes within the LCS and matrix spike had acceptable recoveries.

Envirolab Reference: 291810 Page | 26 of 26 R00

Revision No: