

#### **Tuesday 8 August 2023**

Environmental Engineer & Director

mob: office: (02) 66-215-123

fax: (02) 66-218-123 ABN: 82 106 758 123

To:
Site Engineer, Lendlease
Tweed Valley Hospital Project

Re: Surface Water Quality Monitoring Results and Report for the Tweed Valley Hospital Project
Reporting period: 14 June 2023 to 16 July 2023

#### 1.0 INTRODUCTION

Ecoteam is engaged to undertake monthly and event-based surface water monitoring on behalf of Lendlease Building as part of the main works for the Tweed Valley Hospital Project. This report presents results from the 49<sup>th</sup> round of monthly sampling. This report satisfies the requirements of the SSD2 conditions. No controlled or uncontrolled releases from the sediment basins occurred during the reporting period.

#### 2.0 PROJECT AIMS AND SAMPLING OBJECTIVES

The surface water monitoring objectives for the site are to detect changes during construction in receiving water quality resulting from the project. Stormwater discharges potentially contain increased sediment loads, nutrients, total and dissolved metals, hydrocarbons, or other contaminants such as pesticides. Baseline water quality data was performed on 19 and 26 November and 19 December 2018 to record water quality conditions under the existing land use prior to construction (Lendlease Building, 2019).

#### 3.0 WEATHER CONDITIONS

Total rainfall in the period prior to sampling (14 June 2023 to 16 July 2023) was 36.6 mm with the highest 24-hour rainfall occurring on 5 July, being 28.4 mm (Kingscliff BOM Station 058137).

#### 4.0 SAMPLING LOCATIONS

Samples were collected from four of the five monthly sampling Sites (001 – 003 and 005). Site 004 has been infilled and has been removed from ongoing sampling rounds. Control samples were also collected and analysed (013 – 015). Sample codes and corresponding sampling locations are shown in **Table 1** and **Figure 1**. Site photos taken on the day of sampling are included in **Appendix A**. During sampling, Site 002 was noted to be flowing North. Therefore, Site 002 will be assessed as a downstream sample site.

**Table 1.** Monthly sampling sites, control samples, sample codes, and applicable WQOs.

Sample Codes	Sampling Site Name	Short Name	WQOs
001	West Creek (Downstream)	WC	Estuarine
002	North West Creek (Variable)	NWC	Estuarine
003	East Creek (Upstream)	EC	Freshwater
004	Dam (Downstream)	Dam	Freshwater
005	Dam Drain (Downstream)	DD	Freshwater
013	Trip Blank	Trip	NA
014	Field Blank	Field	NA
015	Field Duplicate	Duplicate	NA






Figure 1. Map of monthly sampling sites (Source: Google Earth).



#### 5.0 SAMPLING METHODOLOGY

Sampling was undertaken by on Monday 17 July 2023. The weather was cloudy with moderate/high winds. In situ, physico-chemical measurements were collected using a AquaTROLL multiparameter probe, and Turbidity was measured using a Turbimeter Plus turbidity meter. Oil and grease were visually assessed. The calibration certificate for the AquaTROLL is included in **Appendix B**. The Turbimeter Plus is calibrated before each sampling round. Water quality samples were collected at 300 mm below the surface where possible. Samples were collected from the bank using an extension pole.

Samples were filtered and preserved on-site where necessary, stored on ice, and couriered overnight to the NATA-accredited Envirolab in Sydney. Trip blank samples (013) were sent from Envirolab and transported to all sites, then returned to Envirolab with the field samples. The field blank samples (014) were assessed at Site 001. Duplicate samples (015) were collected at Site 003 and were filtered and preserved as required. Field and trip blanks were filled with deionized water and do not represent water quality from the site. A full list of analytes for the project is included in **Appendix C**.

#### 6.0 ASSESSMENT CRITERIA

Water quality results were compared against the Water Quality Objectives (WQO) in the following guidelines:

- NSW Water Quality Objectives for the Tweed River Catchment for Aquatic Ecosystems (Tweed 2006) Trigger criteria for estuaries.
- Australian and New Zealand guidelines for fresh and marine water quality (ANZECC 2000) –
   Trigger values for freshwater (level of protection 95% species).

#### 7.0 RESULTS

#### 7.1 Physico-chemical Results

In situ, physico-chemical sampling results with comparison to WQOs are shown in **Table 2**. There were no surface sheens visible at any sites, therefore oil and grease were not present.

**Table 2.** Results of physico-chemical parameters. The results above guidelines are highlighted.

			Quality es (WQOs)	Sample Codes and Results					
Analyte	Units	Estuary	Fresh Water	WC 001 (Down)	NWC 002 (Down)	EC 003 (Up)	DD 005 (Down)		
рН		7.0-8.5	6.5-8.5	7.18	7.18	6.92	6.13		
Turbidity	NTU	0.5-10	6.0-50	6.24	17.0	0.68	4.12		
Electrical Conductivity (EC)	μS/cm	125- 2,200	125- 2,200	1108.6	305.9	181.3	139.24		
Dissolved Oxygen (DO)	% Saturation	80-110	85-110	76.95	33.16	16.34	76.95		
Temperature	°C	N/A	N/A	16.05	16.35	17.12	16.05		
Oxidation- Reduction Potential (ORP)	mV	N/A	N/A	207.6	256.6	226.6	207.6		

When compared to the WQOs for freshwater and estuaries:



- pH was outside the WQO range at sample at sample Site 005 this sampling round.
- Turbidity was outside of the WQO ranges at sample sites 002, 003 and 005 this sampling round.
- EC concentrations were inside of the expected range at all sampling sites this sampling round.
- DO concentrations were outside of the expected range at all sample site this sampling round. DO
  was outside the range at comparison sites in background sampling.

#### 7.2 Laboratory Results

Ammonia, Filterable Reactive Phosphorous (FRP), Oxides of Nitrogen (NOx), Total Nitrogen, Total Phosphorus and Aluminium were above the WQOs for some sample sites shown in **Table 3**.

The chain of custody form is included in **Appendix D**. A summary of all lab results with comparison to WQOs is included in **Appendix E**. A full copy of the laboratory results is included in **Appendix F**.

**Table 3.** Parameters in exceedance of the trigger criteria for sampling conducted. Results above guidelines are highlighted.

		Water ( Object (WQ	tives									
Analyte	Unit	Estuary	Fresh Water	WC 001 (Down)	NWC 002 (Down)	EC 003 (Up)	DD 005 (Down)	013 Trip	014 Field	015 Duplicate		
Ammonia	mg/L	0.015	0.02	0.25	0.11	0.11	0.010	<0.005	<0.005	0.32		
Filterable Reactive Phosphorus	mg/L	0.005	0.02	0.02	<0.005	0.051	<0.005	<0.005	<0.005	0.02		
Oxides of Nitrogen	mg/L	0.015	0.040	0.1	0.74	0.07	2.8	<0.005	<0.005	0.1		
Total Nitrogen	mg/L	0.30	0.35	1.1	1.5	0.8	4.2	<0.1	<0.1	0.9		
Total Phosphorus	mg/L	0.030	0.025	0.06	0.04	0.07	0.07	<0.02	<0.02	0.05		
Aluminium	μg/L	N/A	55	30	40	80	30	<10	<10	30		

When compared to the WQOs for Freshwater and Estuaries:

- Ammonia was above the WQOs at Sites 001, 002 and 003 this sampling round. Ammonia was above
  the WQOs at comparison sites in background sampling. Ammonia has decreased at sample Sites
  002 and 005 has increased at sample Sites 001 and 003 sites when compared to the previous month.
- Filterable Reactive Phosphorus was above WQOs at sample Sites 001 and 003 this sampling round.
   Filterable Reactive Phosphorus has increased at sample Site 003 and remained the same at all other sample when compared to the previous month.
- NOx was above the WQOs criteria at all sites. NOx has increased at sample Sites 002 and remained
  the same at all other sites when compared to the previous month.
- TN was above the WQOs criteria at all sites this sampling round. TN has increased at all sample sites
  when compared to the previous month.TN was above the WQOs at comparison sites in baseline
  sampling.
- TP was above the WQOs criteria at all sample sites this sampling round. TP has decreased at sample Sites 001 and 003, increased at sample Sites 002 and 005 when compared to the previous month.
- Aluminium was above the WQOs at sample Site 003 this sampling round. Aluminium has increased
  at all sample sites when compared to the previous month.



- All other metals were within estuarine and freshwater criteria this month.
- Demeton was analysed and returned non-detectable results.
- TRH (C<sub>10</sub>-C<sub>40</sub>) was not detected at any sample site.

#### 8.0 Quality Assurance and Quality Control

- Parameters analysed in the Trip Blank (013) and Field Blank (014) were below the laboratory detection limits for all analytes.
- The Duplicate Sample (015) was collected at Site 003 and is within acceptable limits for all analytes.
- The laboratory QA/QC is included in the results in **Appendix F**. All laboratory QA/QC was within acceptance criteria.

#### 9.0 Summary of Results and Recommendations

- The month had moderate rainfall.
- Nutrients (Ammonia, NOx, TN, and TP) were high and exceeded some water quality parameters for some sites. This includes upstream and downstream sites in past sampling events. Exceedances in nutrients are therefore considered of natural occurrence.
- Aluminium exceeded some water quality parameters for some sites. Metals have been present in
  upstream and downstream sampling sites in previous sampling rounds. Elevation in metals may be
  due to pH and redox changes, microbial mineralisation and naturally occurring sediment
  transportation. Changes in metal concentrations are also likely following heavy rainfall events.
- Elevated nutrients and metals have been observed at all sampling locations including upstream and
  downstream sites in previous months and during baseline sampling. Therefore, based on the
  assessment of the May/June water quality data, the Tweed Valley Hospital Project construction
  activities are unlikely to be adversely impacting the downstream water quality. As such, the current
  soil and erosion controls implemented on site are considered to be effective.

Kind regards,


**Environmental Engineer & Director** 

mob: office: (02) 66-215-123 fax: (02) 66-218-123

ABN: 82 106 758 123



# Appendix A. Site Photos









#### Appendix B. Calibration certificate for Aqua troll



provations in Water Monitoring

#### Calibration Report

#### Instrument Details:

Instrument Model: Full Scale Pressure Range: Serial Number: Manufacture Date:

Aqua TROLL® 400 0 - 250 ft (0 - 76 m) 1008667 2023-02-17

#### **Calibration Details:**

Calibration Result: Calibration Date:

Nominal Range of Applied Temperature: Temperature Accuracy Specification:

Nominal Range of Applied Pressure: Pressure Accuracy Specification: Conductivity Calibration:

Rugged Dissolved Oxygen Calibration: pH/ORP Check:

0 - 250 feet +/-0.3% FS

**PASS** 

2023-01-16

0 C to +50 C

Pass with a cell constant of 1.00.

+/-0.1 C from 0 C to +50 C

Pass with an optical phase difference of +/- 2 degrees.

Pass with mV readings of +/- 5 mV.

#### Post-Calibration Check:

Parameter	Applied (PSI)	Reported (PSI)	Deviation (PSI)		
Pressure	7	6.979	0.021		
Pressure	65	65.008	-0.008		
Pressure	122.995	122.991	0.004		
Pressure	84.333	84.341	-0.008		
Pressure	45.667	45.692	-0.025		
Pressure	7	6.992	0.008		

#### Calibration Procedures and Equipment Used:

Automated calibration procedures used.

Calibrated in 900, 9000, & 90000  $\mu\text{S/cm}$  conductivity standards.

Manu MENSOR Model 600 Serial No 610915 Manu HART Model 1504 Serial No B42917 Manu instrulab Model 406 Serial No 4-31139

#### Notes:

- 1. Standards used in the calibration are traceable to the National Institute of Standards and Technology.
- 2. This calibration report shall not be reproduced, except in full, without the written approval of In-Situ, Inc.
- 3. A calibration interval of 12 to 18 months is recommended.
- 4. The post-calibration data is collected at nominal +15C.
- 5. 1.0 PSI = 6.894757 kPa.

WWW.IN-SITU.COM

221 East Lincoln Avenue, Fort Collins, CO 80524 USA oll Free: 800.446.7488 Tel: 970.498.1500 Fax: 970.498.1598

Copyright © 2015 In-Situ Inc. This document is confidential and is the property of In-Situ Inc. Do not distribute without approval.



#### **Appendix C. Full List of Sampling Analytes**

#### 3.7 Proposed Surface Water Quality Sampling Parameters

A summary of the proposed sampling analytes is provided below:

#### Field

- pH
- Turbidity
- Electrical Conductivity (EC)
- Dissolved Oxygen (DO)
- Temperature
- Oxidation Reduction Potential (ORP)
- Oil and grease

#### Laboratory

- Total Suspended Solids (TSS)
- Total Dissolved Solids (TDS)
- Major Cations & Hardness
- Ammonia
- Chlorophyll-a
- Filterable Reactive Phosphorus
- Nitrate
- Oxides of Nitrogen
- Total Nitrogen
- Total Phosphorus
- Aluminium (pH > 6.5) filtered
- Arsenic (filtered)
- Boron (filtered)
- · Cadmium (filtered)
- · Chromium (filtered)
- Copper (filtered)
- Cobalt (filtered)Lead (filtered)
- Manganese (filtered)
- Mercury (filtered)

- Nickel (filtered)
- Selenium (filtered)
- · Silver (filtered)
- Zinc (filtered)
- Benzene
- Toluene
- Ethylbenzene
- · Xylene Total
- Naphthalene
- Total Recoverable Hydrocarbons (TRH)
- · Organochlorine Pesticides (OCP)
  - o 4.4'-DDE
  - o 4.4'-DDT
  - o Aldrin
  - o g-BHC (Lindane)
  - o Chlordane
  - Dieldrin
  - Endosulfan
  - Endrin
  - Heptachlor
  - Toxaphene
- Organophosphorus Pesticides (OPP)
  - Azinphos-methyl
  - Chlorpyrifos
  - o Demeton-S
  - Diazinon
  - DimethoateFenitrothion
  - Malathion

If a sample returns detectable concentrations of the analytes presented in Table 1, additional analyses may be required to enable comparison against additional trigger criteria or trace potential sources of contaminants. It is cost prohibitive to analyse these parameters unless required.

Table 1 Additional Analysis Requirements

Analyte	Additional Analysis
Total Recoverable Hydrocarbons	TRH Silica-gel Clean-up
Arsenic (filtered)	Arsenic (III) (filtered) Arsenic (V) (filtered)
Chromium (filtered)	Chromium (CrVI) (filtered)





# Appendix D. Chain of Custody Form

[Copyright and C	Confidential]		<del></del>			_	21.	$\overline{}$								udaa-1	ab - Ec	izalak f	i anulac -	
	ยหมูดูภู่ใหล	CHA	IN OF	CUSTO	DY	- (	Cliei	nt							1	2 Ashle	<u>ab</u> - Env y St, Cha 910 6200	tswood	d, NSW 2	
ENVIROLA	B Empl	ENVIE	OI AR GE	ROUP - Natio	mal mi		ba	- 120	0.43						١,	erth Lai	b - MPL	Laborat	ories	
		FIAATI	(OLAD G)	COOP - Natio	$\overline{}$			_							l î	6-18 Ha	yden Cr	t, Myar	ee, WA	
Client: Ecoteam					Client	-	ct Name	-	-		•	-	•		Ph: 08 9317 2505 / lab@mpl.com.au Melbourne Lab - Envirolab Services					
Contact Pe					SMC009.49 - Tweed Valley Hospital Project PO No.:													uth, VIC 3136		
Project Mg	_				<del>-</del>		uote No.				195V22	8_Rev :			P	h: 03 9	763 2500	) / mel	bourne	@envirolab.com.au
Sampler: J	Address: 13 Ewing Street						require		_		193122	0_RCV .					Office -			
Lismore NSW 24	-				Orcho	nnser	standard	l / can	ne dav	/ 1 da	v / 2 d	av / 3	dav				arade, N			067 envirolab.com.au
Lisinore NSW 24	00						lab in adv							harges	l					
					Additional report format: esdat / equis /				D 4014											
Phone:	02 6621 5123	Mob:			Lab C		<u> </u>	mat.	esuat	equis					F	h: 07 3	266 9532	2 / bris	bane@e	envirolab.com.au
Email:				-			As, B, Cd	l. Cr. C	u. Co.	Pb. Mn	. Ha. N	li. Se. A	λα, Z.				Office - F			ces NT 0820
1	Testing requirements - C				Cation	ıs: Na	/K/Ca/M	lg. Plea	se ho	ld Cr6				itial						virolab.com.au
	<0.025 mg/L, Silver <			s and OPPs	dissol	ved m	etals res	uits ar	e back	<u>د</u>	_		2. 1	See See	<u> </u>					
	Sample in	formation	B 38.4				<del></del>		5, (18)	2007	Test	Requ			i* .		,	_	Ta	Comments
Envirolab Sample ID	Client Sample ID or Information	Depth	Date sampled	Type of sample	TRH/BTEXN	Dissolved Metals	OC/OP + tóxaphene + demeton	TSS	TDS	Cations + Hardness	Ammonia	Cholorphyll-a	Phosphate (FRP)	Nitrate	Nox	Total N	Total P	Cr6+- HOLD	ASIII & V - HOLD	Provide as much information about the sample as you can
<u> </u>	001 - USW	300 mm	19-Jul	Water	Х	x	Х	х	х	x	Х	X	X	X	х	х	x		1	T
1	002 - USNW	150 mm		Water	Х	Х	X	Х	Х	X	Х	Х	X	Х	Х	Х	Х			
3	003 - DSE	300 mm	19-Jul	Water	Х	Х	X	Х	Х	X	· X	X	Х	Х	X	Х	X			
4	005 - Dam Drain	150 mm	19-Jul	Water	Х	Х	Х	Х	Х	Х	X	X	Х	Х	Х	X	Х			`
5	013	300 mm	19-Jul	<u>Water</u>	Х	Х	X	Х	.X	X	Х	X	Х	Х	Х	Х	Х			
6	014	300 mm	19-Jul	Water	Х	Х	Х	Х	Х	X	Х	Х	Х	X	Х	Х	Х			
7	015	300 mm	19-Jul	<u>Water</u>	Х	Х	X	Х	X	Х	X	Х	Х	X	Х	Х	X			l
																		İ	ľ	
_																				
	Please tick the box	if observ	ed settled :	sediment pres	sent i	in wa	ater sa	mple	s is	to be	inc.	luded	<u>l in t</u>	he ex	ctrac	tion	and/	or ai	าลโรร	sis
Relinquished by	(Company):	Ecoteam		Received by (Com	paný):	ધ	<i>S</i> S	QY			Va	٠			45	La	b Use	Only	- 1	Edward Rad
Print Name:		effery Presb	ury	Print Name: S	læ.	M					Job number: 3 L8 4 T T				Cooling: Ice / Ice pack / None					
Date & Time:	19/07/2023			Date & Time:	70/	7	- 80	5			Tem	eratu	re: 2	_			Secu	rity s	éal: Ir	ntact / Broken / None
Signature:	Jeffery Presbury					<del></del>						/ 1 / 2 / 3 / 4 / STD								

Form 302\_V004

Issue date: 21 May 2019

Page 1 of 1



# Appendix E. Summary of Lab Results compared to WQOs

		Water ( Object	Quality ctives	Sample Codes							
Analyte	Unit	Estuary	Fresh Water	WC 001	NWC 002	EC 003	DD 005		013 Trip	014 Field	015 Duplicate
Total Suspended Solids (TSS)	mg/L	N/A	N/A	6	<5	<5	5		<5	<5	<5
Total Dissolved Solids (TDS)	mg/L	N/A	N/A	1,000	240	140	100		<b>&lt;</b> 5	<5	1,000
	,		Major Ca	tions (di	ssolved)	and Hard	Iness				
Sodium	mg/L	N/A	N/A	160	48	33	26		<0.5	<0.5	160
Potassium	mg/L	N/A	N/A	8.5	3	2	1		<0.5	<0.5	9.0
Calcium	mg/L	N/A	N/A	140	26	13	5		<0.5	<0.5	130
Magnesium	mg/L	N/A	N/A	38	10	4	5.4		<0.5	<0.5	41
Hardness mgCa	aCO <sub>3</sub> /L	N/A	N/A	500	110	50	34		<3	<3	500
Nutrients											
Ammonia	mg/L	0.015	0.02	0.25	0.11	0.11	0.010		<0.005	<0.005	0.32
Chlorophyll-a	mg/m³	4	5	<1	3	<1	3		<1	<1	1
Filterable Reactive Phosphorus	mg/L	0.005	0.02	0.02	<0.005	0.051	<0.005		<0.005	<0.005	0.02
Nitrate	mg/L	N/A	N/A	0.11	0.71	0.065	2.8		<0.005	<0.005	0.11
Oxides of Nitrogen	mg/L	0.015	0.040	0.1	0.74	0.07	2.8		<0.005	<0.005	0.1
Total Nitrogen	mg/L	0.30	0.35	1.1	1.5	0.8	4.2		<0.1	<0.1	0.9
Total Phosphorus	mg/L	0.030	0.025	0.06	0.04	0.07	0.07		<0.02	<0.02	0.05
			Metals -	All metal	s are Di	ssolved M	letals			l	
Aluminium	μg/L	N/A	55	30	40	80	30		<10	<10	30
Arsenic	μg/L	N/A	13	<1	<1	<1	<1		<1	<1	<1
Boron	μg/L	N/A	370	220	80	30	40		<20	<20	220
Cadmium	μg/L	5.5	0.2	<0.1	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1
Chromium	μg/L	4.4	1.0	<1	<1	<1	<1		<1	<1	<1
Copper	μg/L	1.3	1.4	<1	<1	<1	<1		<1	<1	<1
Cobalt	μg/L	1.0	N/A	<1	<1	<1	<1		<1	<1	<1
Lead	μg/L	4.4	3.4	<1	<1	<1	<1		<1	<1	<1
Manganese	μg/L	N/A	1,900	200	92	27	14		<1	<1	200
Mercury	μg/L	0.4	0.6	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05
Nickel	μg/L	70	11	<1	<1	<1	<1		<1	<1	<1
Selenium	μg/L	N/A	11	<1	<1	<1	<1		<1	<1	<1
Silver	μg/L	1.4	0.05	<0.05	<0.05	<0.05	<0.05		0.2	0.06	<0.05
Zinc	μg/L	15	8.0	17	3	6	3		<1	<1	14



		Water ( Object (WQ	tives	Sample Codes							
Analyte	Unit	Estuary	Fresh	WC	NWC	EC	DD		013	014	015
Analyte	Oilit	Listuary	Water	001	002	003	005		Trip	Field	Duplicate
				Hydr	ocarbo	ns					
Benzene	μg/L	950	700	<1	<1	<1	<1		<1	<1	<1
Toluene	μg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Ethylbenzene	μg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Xylene	μg/L	N/A	550	<1	<1	<1	<1		<1	<1	<1
Naphthalene	μg/L	70	16	<1	<1	<1	<1		<1	<1	<1
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	N/A	N/A	<10	<10	<10	<10		<10	<10	<10
TRH C <sub>10</sub> - C <sub>16</sub>	μg/L	N/A	N/A	<50	<50	<50	<50		<50	<50	<50
TRH C <sub>16</sub> - C <sub>34</sub>	μg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH C <sub>6</sub> -C <sub>10</sub> less BTEX (F1)	μg/L	N/A	N/A	<10	<10	<10	<10		<10	<10	<10
TRH >C <sub>10</sub> -C <sub>16</sub> less Naphthalene	μg/L	N/A	N/A	<50	<50	<50	<50		<50	<50	<50
Organochlorine Pesticides (OCP)											
4.4'-DDE	μg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
4.4'-DDL 4.4'-DDT		N/A	0.01	<0.006	<0.006	<0.006	<0.006		<0.006	<0.006	<0.006
Aldrin	µg/L	N/A	N/A	<0.000	<0.000	<0.00	<0.000		<0.000	<0.000	<0.000
g-BHC	μg/L	N/A	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Chlordane	µg/L	N/A	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dieldrin	μg/L	N/A	0.08 N/A								
Endosulfan	μg/L		0.2	<0.01 <0.01	<0.01 <0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Endosulian	μg/L	0.01	0.2						<0.01	<0.01	
Heptachlor	µg/L	N/A	0.008	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
<u> </u>	µg/L	N/A	0.09	<0.01 <2	<0.01	<2	<0.01		<0.01	<0.01	<0.01
Toxaphene	μg/L				<2 TUG Day				<2	<2	<2
	1	U	rganop	nospno	rus Pe	sticides	(OPP)			1	
Azinphos- methyl	μg/L	N/A	0.02	<0.02	<0.02	<0.02	<0.02		<0.02	<0.02	<0.02
Chlorpyriphos	μg/L	0.009	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Demeton-S	μg/L	N/A	N/A	<5	<5	<5	<5		<5	<5	<5
Diazinon	μg/L	N/A	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dimethoate	μg/L	N/A	0.15	<0.15	<0.15	<0.15	<0.15		<0.15	<0.15	<0.15
Fenitrothion	μg/L	N/A	0.2	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
				i .			1				



# **Appendix F. Full Laboratory Results**



Envirolab Services Pty Ltd

ABN 37 112 535 645 12 Ashley St Chatswood NSW 2067 ph 02 9910 6200 fax 02 9910 6201 customerservice@envirolab.com.au www.envirolab.com.au

#### **CERTIFICATE OF ANALYSIS 328477**

Client Details	
Client	Ecoteam
Attention	
Address	13 Ewing Street, Lismore, NSW, 2480

Sample Details	
Your Reference	SMC009.49 - Tweed Valley Hospital Project
Number of Samples	7 Water
Date samples received	20/07/2023
Date completed instructions received	20/07/2023

#### **Analysis Details**

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.

Please refer to the last page of this report for any comments relating to the results.

Report Details									
Date results requested by	27/07/2023								
Date of Issue	27/07/2023								
NATA Accreditation Number 2901. This document shall not be reproduced except in full.									
Accredited for compliance with ISO/	Accredited for compliance with ISO/IEC 17025 - Testing. Tests not covered by NATA are denoted with *								

#### **Results Approved By**

Senior Chemist
Development Chemist
ssistant Operation Manager
enior Chemist

Authorised By
Laboratory Manager



vTRH(C6-C10)/BTEXN in Water						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	21/07/2023	21/07/2023	21/07/2023	21/07/2023	21/07/2023
Date analysed	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
TRH C <sub>6</sub> - C <sub>9</sub>	μg/L	<10	<10	<10	<10	<10
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	<10	<10	<10	<10	<10
TRH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	μg/L	<10	<10	<10	<10	<10
Benzene	μg/L	<1	<1	<1	<1	<1
Toluene	μg/L	<1	<1	<1	<1	<1
Ethylbenzene	μg/L	<1	<1	<1	<1	<1
m+p-xylene	μg/L	<2	<2	<2	<2	<2
o-xylene	μg/L	<1	<1	<1	<1	<1
Naphthalene	μg/L	<1	<1	<1	<1	<1
Surrogate Dibromofluoromethane	%	109	109	109	107	109
Surrogate toluene-d8	%	103	101	102	101	102
Surrogate 4-BFB	%	105	105	105	104	105

vTRH(C6-C10)/BTEXN in Water			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date extracted	-	21/07/2023	21/07/2023
Date analysed	-	24/07/2023	24/07/2023
TRH C <sub>6</sub> - C <sub>9</sub>	μg/L	<10	<10
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	<10	<10
TRH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	μg/L	<10	<10
Benzene	μg/L	<1	<1
Toluene	μg/L	<1	<1
Ethylbenzene	μg/L	<1	<1
m+p-xylene	μg/L	<2	<2
o-xylene	μg/L	<1	<1
Naphthalene	μg/L	<1	<1
Surrogate Dibromofluoromethane	%	108	107
Surrogate toluene-d8	%	102	102
Surrogate 4-BFB	%	105	103

svTRH (C10-C40) in Water						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Date analysed	-	25/07/2023	25/07/2023	25/07/2023	25/07/2023	25/07/2023
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	<50	<50	<50	<50	<50
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	<100	<100	<100	<100	<100
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	<100	<100	<100	<100	<100
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	<50	<50	<50	<50	<50
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	μg/L	<50	<50	<50	<50	<50
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	<100	<100	<100	<100	<100
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	<100	<100	<100	<100	<100
Surrogate o-Terphenyl	%	80	81	81	69	77

svTRH (C10-C40) in Water			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date extracted	-	24/07/2023	24/07/2023
Date analysed	-	25/07/2023	25/07/2023
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	<50	<50
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	<100	<100
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	<100	<100
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	<50	<50
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	μg/L	<50	<50
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	<100	<100
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	<100	<100
Surrogate o-Terphenyl	%	78	78

OCPs in Water - Low Level						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Date analysed	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
alpha-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
НСВ	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
beta-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
delta-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor Epoxide	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-Chlordane	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
alpha-Chlordane	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan I	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDE	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan II	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDD	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin Aldehyde	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDT	μg/L	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan Sulphate	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Methoxychlor	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Surrogate TCMX	%	84	85	85	76	81

OCPs in Water - Low Level			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date extracted	-	24/07/2023	24/07/2023
Date analysed	-	24/07/2023	24/07/2023
alpha-BHC	μg/L	<0.01	<0.01
нсв	μg/L	<0.01	<0.01
beta-BHC	μg/L	<0.01	<0.01
gamma-BHC	μg/L	<0.01	<0.01
Heptachlor	μg/L	<0.01	<0.01
delta-BHC	μg/L	<0.01	<0.01
Aldrin	μg/L	<0.01	<0.01
Heptachlor Epoxide	μg/L	<0.01	<0.01
gamma-Chlordane	μg/L	<0.01	<0.01
alpha-Chlordane	μg/L	<0.01	<0.01
Endosulfan I	μg/L	<0.01	<0.01
pp-DDE	μg/L	<0.01	<0.01
Dieldrin	μg/L	<0.01	<0.01
Endrin	μg/L	<0.01	<0.01
Endosulfan II	μg/L	<0.01	<0.01
pp-DDD	μg/L	<0.01	<0.01
Endrin Aldehyde	μg/L	<0.01	<0.01
pp-DDT	μg/L	<0.006	<0.006
Endosulfan Sulphate	μg/L	<0.01	<0.01
Methoxychlor	μg/L	<0.01	<0.01
Surrogate TCMX	%	81	83

OP in water LL ANZECCF/ADWG						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Date analysed	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Azinphos-methyl (Guthion)	μg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Bromophos ethyl	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyriphos	μg/L	<0.009	<0.009	<0.009	<0.009	<0.009
Chlorpyriphos-methyl	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Diazinon	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Dichlorovos	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Dimethoate	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Ethion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Fenitrothion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Malathion	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Ronnel	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Parathion	μg/L	<0.004	<0.004	<0.004	<0.004	<0.004
Coumaphos	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Disulfoton	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Fenamiphos	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Fenthion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Methidathion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Mevinphos	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Methyl Parathion	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Phorate	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Phosalone	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Surrogate TCMX	%	84	85	85	76	81

OP in water LL ANZECCF/ADWG			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date extracted	-	24/07/2023	24/07/2023
Date analysed	-	24/07/2023	24/07/2023
Azinphos-methyl (Guthion)	μg/L	<0.02	<0.02
Bromophos ethyl	μg/L	<0.01	<0.01
Chlorpyriphos	μg/L	<0.009	<0.009
Chlorpyriphos-methyl	μg/L	<0.01	<0.01
Diazinon	μg/L	<0.01	<0.01
Dichlorovos	μg/L	<0.01	<0.01
Dimethoate	μg/L	<0.01	<0.01
Ethion	μg/L	<0.01	<0.01
Fenitrothion	μg/L	<0.01	<0.01
Malathion	μg/L	<0.05	<0.05
Ronnel	μg/L	<0.01	<0.01
Parathion	μg/L	<0.004	<0.004
Coumaphos	μg/L	<0.01	<0.01
Disulfoton	μg/L	<0.01	<0.01
Fenamiphos	μg/L	<0.01	<0.01
Fenthion	μg/L	<0.01	<0.01
Methidathion	μg/L	<0.01	<0.01
Mevinphos	μg/L	<0.01	<0.01
Methyl Parathion	μg/L	<0.01	<0.01
Phorate	μg/L	<0.01	<0.01
Phosalone	μg/L	<0.01	<0.01
Surrogate TCMX	%	81	83

Miscellaneous Organics - water								
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5		
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013		
Depth		300mm	150mm	300mm	150mm	300mm		
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023		
Type of sample		Water	Water	Water	Water	Water		
Date prepared	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023		
Date analysed	-	26/07/2023	26/07/2023	26/07/2023	26/07/2023	26/07/2023		
Toxaphene*	μg/L	<2	<2	<2	<2	<2		
Demeton-O	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2		
Demeton-S	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2		
Surrogate p-Terphenyl-d <sub>14</sub>	%	86	82	82	78	79		

Miscellaneous Organics - water			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date prepared	-	24/07/2023	24/07/2023
Date analysed	-	26/07/2023	26/07/2023
Toxaphene*	μg/L	<2	<2
Demeton-O	μg/L	<0.2	<0.2
Demeton-S	μg/L	<0.2	<0.2
Surrogate p-Terphenyl-d <sub>14</sub>	%	74	84

HM in water - dissolved						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	21/07/2023	21/07/2023	21/07/2023	21/07/2023	21/07/2023
Date analysed	-	21/07/2023	21/07/2023	21/07/2023	21/07/2023	21/07/2023
Aluminium-Dissolved	μg/L	30	40	80	30	30
Arsenic-Dissolved	μg/L	<1	<1	<1	<1	<1
Boron-Dissolved	μg/L	220	80	30	40	<20
Cadmium-Dissolved	μg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium-Dissolved	μg/L	<1	<1	<1	<1	<1
Copper-Dissolved	μg/L	<1	<1	<1	<1	<1
Cobalt-Dissolved	μg/L	<1	<1	<1	<1	<1
Lead-Dissolved	μg/L	<1	<1	<1	<1	<1
Manganese-Dissolved	μg/L	200	92	27	14	<1
Mercury-Dissolved	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Nickel-Dissolved	μg/L	<1	<1	<1	<1	<1
Selenium-Dissolved	μg/L	<1	<1	<1	<1	<1
Silver-Dissolved	μg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Zinc-Dissolved	μg/L	17	3	6	3	<1

HM in water - dissolved			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date prepared	-	21/07/2023	21/07/2023
Date analysed	-	21/07/2023	21/07/2023
Aluminium-Dissolved	μg/L	30	30
Arsenic-Dissolved	μg/L	<1	<1
Boron-Dissolved	μg/L	<20	220
Cadmium-Dissolved	μg/L	<0.1	<0.1
Chromium-Dissolved	μg/L	<1	<1
Copper-Dissolved	μg/L	<1	<1
Cobalt-Dissolved	μg/L	<1	<1
Lead-Dissolved	μg/L	<1	<1
Manganese-Dissolved	μg/L	<1	200
Mercury-Dissolved	μg/L	<0.05	<0.05
Nickel-Dissolved	μg/L	<1	<1
Selenium-Dissolved	μg/L	<1	<1
Silver-Dissolved	μg/L	<0.05	<0.05
Zinc-Dissolved	μg/L	25	14

Metals in Waters - Acid extractable						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Date analysed	-	25/07/2023	25/07/2023	25/07/2023	25/07/2023	25/07/2023
Phosphorus - Total	mg/L	0.06	0.04	0.07	0.07	<0.02

Metals in Waters - Acid extractable			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date prepared	-	24/07/2023	24/07/2023
Date analysed	-	25/07/2023	25/07/2023
Phosphorus - Total	mg/L	<0.02	0.05

Cations in water Dissolved						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date digested	-	21/07/2023	21/07/2023	21/07/2023	21/07/2023	21/07/2023
Date analysed	-	24/07/2023	24/07/2023	24/07/2023	24/07/2023	24/07/2023
Sodium - Dissolved	mg/L	160	48	33	26	<0.5
Potassium - Dissolved	mg/L	8.5	3	2	1	<0.5
Calcium - Dissolved	mg/L	140	26	13	5	<0.5
Magnesium - Dissolved	mg/L	38	10	4	5.4	<0.5
Hardness	mgCaCO 3 /L	500	110	50	34	<3

Cations in water Dissolved			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date digested	-	21/07/2023	21/07/2023
Date analysed	-	24/07/2023	24/07/2023
Sodium - Dissolved	mg/L	<0.5	160
Potassium - Dissolved	mg/L	<0.5	9.0
Calcium - Dissolved	mg/L	<0.5	130
Magnesium - Dissolved	mg/L	<0.5	41
Hardness	mgCaCO 3 /L	<3	500

Miscellaneous Inorganics						
Our Reference		328477-1	328477-2	328477-3	328477-4	328477-5
Your Reference	UNITS	001 - USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300mm	150mm	300mm	150mm	300mm
Date Sampled		19/07/2023	19/07/2023	19/07/2023	19/07/2023	19/07/2023
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	20/07/2023	20/07/2023	20/07/2023	20/07/2023	20/07/2023
Date analysed	-	20/07/2023	20/07/2023	20/07/2023	20/07/2023	20/07/2023
Total Suspended Solids	mg/L	6	<5	<5	5	<5
Total Dissolved Solids (grav)	mg/L	1,000	240	140	100	<5
Ammonia as N in water	mg/L	0.25	0.11	0.11	0.010	<0.005
Chlorophyll a	mg/m³	<1	3	<1	3	<1
Phosphate as P in water	mg/L	0.02	<0.005	0.051	<0.005	<0.005
Nitrate as N in water	mg/L	0.11	0.71	0.065	2.8	<0.005
NOx as N in water	mg/L	0.1	0.74	0.07	2.8	<0.005
Total Nitrogen in water	mg/L	1.1	1.5	0.8	4.2	0.2

Miscellaneous Inorganics			
Our Reference		328477-6	328477-7
Your Reference	UNITS	014	015
Depth		300mm	300mm
Date Sampled		19/07/2023	19/07/2023
Type of sample		Water	Water
Date prepared	-	20/07/2023	20/07/2023
Date analysed	-	20/07/2023	20/07/2023
Total Suspended Solids	mg/L	<5	<5
Total Dissolved Solids (grav)	mg/L	<5	1,000
Ammonia as N in water	mg/L	<0.005	0.32
Chlorophyll a	mg/m³	<1	1
Phosphate as P in water	mg/L	<0.005	0.02
Nitrate as N in water	mg/L	<0.005	0.11
NOx as N in water	mg/L	<0.005	0.1
Total Nitrogen in water	mg/L	<0.1	0.9

Method ID	Methodology Summary
Inorg-018	Total Dissolved Solids - determined gravimetrically. The solids are dried at 180+/-10°C.
	NOTE: Where the EC of the sample is <100µS/cm, the TDS will typically be below 70mg/L (as the sample is very likely to be at least drinking water quality). Therefore to ensure data quality for TDS, the TDS is typically calculated as per the equation below:-
	TDS = EC * 0.6
Inorg-019	Suspended Solids - determined gravimetricially by filtration of the sample. The samples are dried at 104+/-5°C.
Inorg-055	Nitrate - determined colourimetrically. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
Inorg-055/062/127	Total Nitrogen - Calculation sum of TKN and oxidised Nitrogen. Alternatively analysed by combustion and chemiluminescence.
Inorg-057	Ammonia - determined colourimetrically, based on APHA latest edition 4500-NH3 F. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a KCl extraction.
Inorg-060	Phosphate determined colourimetrically based on EPA365.1 and APHA latest edition 4500 P E. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
INORG-119	Chlorophyll A based on APHA 10200 H latest edition.
Metals-020	Determination of various metals by ICP-AES.
Metals-021	Determination of Mercury by Cold Vapour AAS.
Metals-022	Determination of various metals by ICP-MS.
	Please note for Bromine and Iodine, any forms of these elements that are present are included together in the one result reported for each of these two elements.
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID. F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.
Org-021	Soil samples are extracted with dichloromethane/acetone and waters with dichloromethane and analysed by GC with dual ECD's.
Org-022	Determination of VOCs sampled onto coconut shell charcoal sorbent tubes, that can be desorbed using carbon disulphide, and analysed by GC-MS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-023	Water samples are analysed directly by purge and trap GC-MS.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.

QUALITY CONTI	ROL: vTRH(	C6-C10)/E	BTEXN in Water			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date extracted	-			21/07/2023	1	21/07/2023	21/07/2023		21/07/2023	
Date analysed	-			24/07/2023	1	24/07/2023	24/07/2023		24/07/2023	
TRH C <sub>6</sub> - C <sub>9</sub>	μg/L	10	Org-023	<10	1	<10	<10	0	95	
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	10	Org-023	<10	1	<10	<10	0	95	
Benzene	μg/L	1	Org-023	<1	1	<1	<1	0	96	
Toluene	μg/L	1	Org-023	<1	1	<1	<1	0	95	
Ethylbenzene	μg/L	1	Org-023	<1	1	<1	<1	0	89	
m+p-xylene	μg/L	2	Org-023	<2	1	<2	<2	0	98	
o-xylene	μg/L	1	Org-023	<1	1	<1	<1	0	93	
Naphthalene	μg/L	1	Org-023	<1	1	<1	<1	0	[NT]	
Surrogate Dibromofluoromethane	%		Org-023	108	1	109	106	3	104	
Surrogate toluene-d8	%		Org-023	101	1	103	101	2	101	
Surrogate 4-BFB	%		Org-023	103	1	105	105	0	98	

QUALITY CON	ITROL: svTF	RH (C10-0	C40) in Water		Duplicate Spike Recove					covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date extracted	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023	
Date analysed	-			25/07/2023	[NT]		[NT]	[NT]	24/07/2023	
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	50	Org-020	<50	[NT]		[NT]	[NT]	97	
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	101	
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	114	
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	50	Org-020	<50	[NT]		[NT]	[NT]	97	
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	101	
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	114	
Surrogate o-Terphenyl	%		Org-020	82	[NT]		[NT]	[NT]	73	

QUALITY CON	ITROL: svTF	RH (C10-0	C40) in Water		Duplicate Spike Recover					covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			[NT]	[NT]		[NT]	[NT]	24/07/2023	
Date analysed	-			[NT]	[NT]		[NT]	[NT]	25/07/2023	
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	50	Org-020	[NT]	[NT]		[NT]	[NT]	99	
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	100	Org-020	[NT]	[NT]		[NT]	[NT]	103	
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	100	Org-020	[NT]	[NT]		[NT]	[NT]	114	
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	50	Org-020	[NT]	[NT]		[NT]	[NT]	99	
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	100	Org-020	[NT]	[NT]		[NT]	[NT]	103	
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	100	Org-020	[NT]	[NT]		[NT]	[NT]	114	
Surrogate o-Terphenyl	%		Org-020	[NT]	[NT]		[NT]	[NT]	93	

QUALITY	CONTROL: OCF	's in Wate	er - Low Level			Dι	Duplicate		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]	
Date extracted	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023		
Date analysed	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023		
alpha-BHC	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	71		
НСВ	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
beta-BHC	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	72		
gamma-BHC	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Heptachlor	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	77		
delta-BHC	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Aldrin	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	65		
Heptachlor Epoxide	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	65		
gamma-Chlordane	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
alpha-Chlordane	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Endosulfan I	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDE	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	72		
Dieldrin	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	71		
Endrin	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	61		
Endosulfan II	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDD	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	68		
Endrin Aldehyde	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDT	μg/L	0.006	Org-022	<0.006	[NT]		[NT]	[NT]	[NT]		
Endosulfan Sulphate	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	67		
Methoxychlor	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Surrogate TCMX	%		Org-022/025	73	[NT]		[NT]	[NT]	73		

QUALITY CON	TROL: OP in w	ater LL Al	NZECCF/ADWG			Du	plicate		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]	
Date extracted	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023		
Date analysed	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023		
Azinphos-methyl (Guthion)	μg/L	0.02	Org-021	<0.02	[NT]		[NT]	[NT]	[NT]		
Bromophos ethyl	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Chlorpyriphos	μg/L	0.009	Org-021	<0.009	[NT]		[NT]	[NT]	72		
Chlorpyriphos-methyl	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Diazinon	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Dichlorovos	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	82		
Dimethoate	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Ethion	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	70		
Fenitrothion	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	94		
Malathion	μg/L	0.05	Org-021	<0.05	[NT]		[NT]	[NT]	88		
Ronnel	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	65		
Parathion	μg/L	0.004	Org-021	<0.004	[NT]		[NT]	[NT]	85		
Coumaphos	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Disulfoton	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Fenamiphos	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Fenthion	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Methidathion	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Mevinphos	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Methyl Parathion	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Phorate	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Phosalone	μg/L	0.01	Org-021	<0.01	[NT]		[NT]	[NT]	[NT]		
Surrogate TCMX	%		Org-021	73	[NT]		[NT]	[NT]	73		

QUALITY CONTE	ROL: Miscell	aneous C	Organics - water			Du		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date prepared	-			24/07/2023	[NT]		[NT]	[NT]	24/07/2023	
Date analysed	-			27/07/2023	[NT]		[NT]	[NT]	27/07/2023	
Toxaphene*	μg/L	2	Org-022/025	<2	[NT]		[NT]	[NT]	[NT]	
Demeton-O	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Demeton-S	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Surrogate p-Terphenyl-d <sub>14</sub>	%		Org-022/025	82	[NT]	[NT]	[NT]	[NT]	78	[NT]

QUALITY CC	NTROL: HN	l in water	- dissolved			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	328477-2
Date prepared	-			21/07/2023	1	21/07/2023	21/07/2023		21/07/2023	21/07/2023
Date analysed	-			21/07/2023	1	21/07/2023	21/07/2023		21/07/2023	21/07/2023
Aluminium-Dissolved	μg/L	10	Metals-022	<10	1	30	30	0	109	107
Arsenic-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	110	113
Boron-Dissolved	μg/L	20	Metals-022	<20	1	220	210	5	115	105
Cadmium-Dissolved	μg/L	0.1	Metals-022	<0.1	1	<0.1	<0.1	0	112	112
Chromium-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	112	114
Copper-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	114	116
Cobalt-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	115	115
Lead-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	108	106
Manganese-Dissolved	μg/L	1	Metals-022	<1	1	200	210	5	113	116
Mercury-Dissolved	μg/L	0.05	Metals-021	<0.05	1	<0.05	<0.05	0	119	115
Nickel-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	117	119
Selenium-Dissolved	μg/L	1	Metals-022	<1	1	<1	<1	0	107	108
Silver-Dissolved	μg/L	0.05	Metals-022	<0.05	1	<0.05	<0.05	0	99	78
Zinc-Dissolved	μg/L	1	Metals-022	<1	1	17	15	12	110	112

QUALITY CONTRO			Duplicate Spike				covery %			
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	328477-2
Date prepared	-			24/07/2023	1	24/07/2023	24/07/2023		24/07/2023	24/07/2023
Date analysed	-			25/07/2023	1	25/07/2023	25/07/2023		25/07/2023	25/07/2023
Phosphorus - Total	mg/L	0.02	Metals-020	<0.02	1	0.06	0.06	0	113	108

Envirolab Reference: 328477

Revision No: R00

QUALITY CON		Duplicate Spike Recove								
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	328477-2
Date digested	-			21/07/2023	1	21/07/2023	21/07/2023		21/07/2023	21/07/2023
Date analysed	-			24/07/2023	1	24/07/2023	24/07/2023		24/07/2023	24/07/2023
Sodium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	160	160	0	104	112
Potassium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	8.5	8.4	1	105	101
Calcium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	140	140	0	111	99
Magnesium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	38	37	3	110	104
Hardness	mgCaCO3/L	3	Metals-020	[NT]	1	500	490	2	[NT]	[NT]

QUALITY COI		Du	plicate		Spike Recovery %					
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	328477-2
Date prepared	-			20/07/2023	1	20/07/2023	20/07/2023		20/07/2023	20/07/2023
Date analysed	-			20/07/2023	1	20/07/2023	20/07/2023		20/07/2023	20/07/2023
Total Suspended Solids	mg/L	5	Inorg-019	<5	1	6	[NT]		91	[NT]
Total Dissolved Solids (grav)	mg/L	5	Inorg-018	<5	1	1000	[NT]		88	[NT]
Ammonia as N in water	mg/L	0.005	Inorg-057	<0.005	1	0.25	0.25	0	95	83
Chlorophyll a	mg/m³	1	INORG-119	<1	1	<1	[NT]		90	[NT]
Phosphate as P in water	mg/L	0.005	Inorg-060	<0.005	1	0.02	0.02	0	104	113
Nitrate as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.11	0.11	0	90	78
NOx as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.1	0.1	0	90	78
Total Nitrogen in water	mg/L	0.1	Inorg-055/062/127	<0.1	1	1.1	1.3	17	100	96

QUALITY CO		Du		Spike Recovery %						
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date prepared	-				2	20/07/2023	20/07/2023			
Date analysed	-				2	20/07/2023	20/07/2023			
Total Suspended Solids	mg/L	5	Inorg-019		2	<5	<5	0		
Total Dissolved Solids (grav)	mg/L	5	Inorg-018		2	240	[NT]			
Ammonia as N in water	mg/L	0.005	Inorg-057		2	0.11	[NT]			
Chlorophyll a	mg/m³	1	INORG-119		2	3	[NT]			
Phosphate as P in water	mg/L	0.005	Inorg-060		2	<0.005	[NT]			
Nitrate as N in water	mg/L	0.005	Inorg-055		2	0.71	[NT]			
NOx as N in water	mg/L	0.005	Inorg-055		2	0.74	[NT]			
Total Nitrogen in water	mg/L	0.1	Inorg-055/062/127		2	1.5	[NT]			

Result Definiti	ons
NT	Not tested
NA	Test not required
INS	Insufficient sample for this test
PQL	Practical Quantitation Limit
<	Less than
>	Greater than
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
NS	Not specified
NEPM	National Environmental Protection Measure
NR	Not Reported

<b>Quality Contro</b>	ol Definitions
Blank	This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.
Duplicate	This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.
Matrix Spike	A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.
LCS (Laboratory Control Sample)	This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.
Surrogate Spike	Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Australian Drinking Water Guidelines recommend that Thermotolerant Coliform, Faecal Enterococci, & E.Coli levels are less than 1cfu/100mL. The recommended maximums are taken from "Australian Drinking Water Guidelines", published by NHMRC & ARMC 2011.

The recommended maximums for analytes in urine are taken from "2018 TLVs and BEIs", as published by ACGIH (where available). Limit provided for Nickel is a precautionary guideline as per Position Paper prepared by AIOH Exposure Standards Committee, 2016.

Guideline limits for Rinse Water Quality reported as per analytical requirements and specifications of AS 4187, Amdt 2 2019, Table 7.2

#### **Laboratory Acceptance Criteria**

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: >10xPQL - RPD acceptance criteria will vary depending on the analytes and the analytical techniques but is typically in the range 20%-50% – see ELN-P05 QA/QC tables for details; <10xPQL - RPD are higher as the results approach PQL and the estimated measurement uncertainty will statistically increase.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals (not SPOCAS); 60-140% for organics/SPOCAS (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Where matrix spike recoveries fall below the lower limit of the acceptance criteria (e.g. for non-labile or standard Organics <60%), positive result(s) in the parent sample will subsequently have a higher than typical estimated uncertainty (MU estimates supplied on request) and in these circumstances the sample result is likely biased significantly low.

Measurement Uncertainty estimates are available for most tests upon request.

Analysis of aqueous samples typically involves the extraction/digestion and/or analysis of the liquid phase only (i.e. NOT any settled sediment phase but inclusive of suspended particles if present), unless stipulated on the Envirolab COC and/or by correspondence. Notable exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, total recoverable metals and PFAS where solids are included by default.

Samples for Microbiological analysis (not Amoeba forms) received outside of the 2-8°C temperature range do not meet the ideal cooling conditions as stated in AS2031-2012.

# **Report Comments**

MISC\_ORGANICS:

Envirolab Reference: 328477

Revision No: R00

Page | 26 of 26